

U.S. Fish and Wildlife Serv., Interior**§ 17.11**

are collecting this information to provide information necessary to evaluate permit applications. We will use this information to review permit applications and make decisions, according to criteria established in various Federal wildlife conservation statutes and regulations, on the issuance, suspension, revocation, or denial of permits. You must respond to obtain or retain a permit. We estimate the public reporting burden for these reporting requirements to vary from 2 to 2½ hours per response, including time for reviewing instructions, gathering and maintaining data, and completing and reviewing the forms. Direct comments regarding the burden estimate or any other aspect of these reporting requirements to the Service's Information Collection Clearance Officer at the address provided at 50 CFR 2.1(b).

[63 FR 52635, Oct. 1, 1998. Redesignated at 72 FR 48446, Aug. 23, 2007, as amended at 79 FR 30417, May 27, 2014; 79 FR 43964, July 29, 2014]

Subpart B—Lists**§ 17.11 Endangered and threatened wildlife.**

(a) The list in this section contains the names of all species of wildlife which have been determined by the Services to be Endangered or Threatened. It also contains the names of species of wildlife treated as Endangered or Threatened because they are sufficiently similar in appearance to Endangered or Threatened species (see § 17.50 *et seq.*).

(b) The columns entitled "Common Name," "Scientific Name," and "Vertebrate Population Where Endangered or Threatened" define the species of wildlife within the meaning of the Act. Thus, differently classified geographic populations of the same vertebrate subspecies or species shall be identified by their differing geographic boundaries, even though the other two columns are identical. The term "Entire" means that all populations throughout the present range of a vertebrate species are listed. Although common names are included, they cannot be relied upon for identification of any specimen, since they may vary greatly in local usage. The Services shall use the most recently

accepted scientific name. In cases in which confusion might arise, a synonym(s) will be provided in parentheses. The Services shall rely to the extent practicable on the *International Code of Zoological Nomenclature*.

(c) In the "Status" column the following symbols are used: "E" for Endangered, "T" for Threatened, and "E [or T] (S/A)" for similarity of appearance species.

(d) The other data in the list are non-regulatory in nature and are provided for the information of the reader. In the annual revision and compilation of this title, the following information may be amended without public notice: the spelling of species' names, historical range, footnotes, references to certain other applicable portions of this title, synonyms, and more current names. In any of these revised entries, neither the species, as defined in paragraph (b) of this section, nor its status may be changed without following the procedures of part 424 of this title.

(e) The "historic range" indicates the known general distribution of the species or subspecies as reported in the current scientific literature. The present distribution may be greatly reduced from this historic range. This column does not imply any limitation on the application of the prohibitions in the Act or implementing rules. Such prohibitions apply to all individuals of the species, wherever found.

(f)(1) A footnote to the FEDERAL REGISTER publication(s) listing or reclassifying a species is indicated under the column "When listed." Footnote numbers to §§ 17.11 and 17.12 are in the same numerical sequence, since plants and animals may be listed in the same FEDERAL REGISTER document. That document, at least since 1973, includes a statement indicating the basis for the listing, as well as the effective date(s) of said listing.

(2) The "Special rules" and "Critical habitat" columns provide a cross reference to other sections in parts 17, 222, 226, or 227. The "Special rules" column will also be used to cite the special rules that describe experimental populations and determine if they are essential or nonessential. Separate listing

§ 17.11

will be made for experimental populations, and the status column will include the following symbols: "XE" for an essential experimental population and "XN" for a nonessential experimental population. The term "NA" (not applicable) appearing in either of these two columns indicates that there are no special rules and/or critical habitat for that particular species. However, all other appropriate rules in parts 17, 217 through 227, and 402 still apply to that species. In addition, there may be other rules in this title that relate to such wildlife, e.g., port-of-entry requirements. It is not intended that the references in the "Special rules" column list all the regulations of the two Services which might apply to the species or to the regulations of other

50 CFR Ch. I (10-1-14 Edition)

Federal agencies or State or local governments.

(g) The listing of a particular taxon includes all lower taxonomic units. For example, the genus *Hylobates* (gibbons) is listed as Endangered throughout its entire range (China, India, and SE Asia); consequently, all species, subspecies, and populations of that genus are considered listed as Endangered for the purposes of the Act. In 1978 (43 FR 6230–6233) the species *Haliaeetus leucocephalus* (bald eagle) was listed as Threatened in "USA (WA, OR, MN, WI, MI)" rather than its entire population; thus, all individuals of the bald eagle found in those five States are considered listed as Threatened for the purposes of the Act.

(h) The "List of Endangered and Threatened Wildlife" is provided below:

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Common name	Species	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
MAMMALS								
Addax	<i>Addax nasomaculatus</i>	North Africa	Entire	E	E	3	NA	NA
Anoa, lowland	<i>Bubalus depressicornis</i>	Indonesia	do	E	do	15	NA	NA
Anoa, mountain	<i>Bubalus quarlesi</i>	do	do	E	do	15	NA	NA
Antelope, giant sable	<i>Hippotragus niger varianii</i>	Angola	do	E	do	NA	NA
Antelope, Tibetan	<i>Pantholops hodsonii</i>	China, India, Nepal	do	E	do	NA	NA
Argali	<i>Ovis ammon</i>	Afghanistan, China, Kazakhstan, Kyrgyzstan, Mongolia, Nepal, Pakistan, Russia, Tajikistan, Uzbekistan	do	E	do	15, 475	NA	NA
Do	do	Venezuela and Guyana to Argentina	Kyrgyzstan, Mongolia, and Tajikistan	T	15, 475	NA	NA	17.40(j)
Armadillo, giant	<i>Priodontes maximus</i>	Venezuela and Guyana to Argentina	Entire	E	15	NA	NA	NA
Armadillo, pink fairy	<i>Chlamyphorus truncatus</i>	Argentina	do	E	3	NA	NA	NA
Ass, African wild	<i>Equus africanus</i>	Somalia, Sudan, Ethiopia	do	E	3, 22	NA	NA	NA
Ass, Asian wild	<i>Equus hemionus</i>	Southwestern and Central Asia	do	E	3	NA	NA	NA
Avahi	<i>Avahi laniger</i> (=entire genus)	Malagasy (=Madagascar)	do	E	3	NA	NA	NA
Aye-aye	<i>Daubentonnia madagascariensis</i>	do	do	E	3	NA	NA	NA
Babirusa	<i>Babirusa babyruusa</i>	Indonesia	do	T	16	NA	NA	17.40(c)
Bandicoot, gladda	<i>Theropithecus gelada</i>	Ethiopia	do	E	4	NA	NA	NA
Bandicoot, barred	<i>Perameles bougainvillae</i>	Australia	do	E	6	NA	NA	NA
Bandicoot, desert	<i>Perameles eremicana</i>	do	do	E	4	NA	NA	NA
Bandicoot, lesser rabbit	<i>Macrotis leucura</i>	do	do	E	4	NA	NA	NA
Bandicoot, pig-footed	<i>Chaeropus ecaudatus</i>	do	do	E	4	NA	NA	NA
Bandicoot, rabbit	<i>Macrotis lagotis</i>	Southeast Asia	do	E	4	NA	NA	NA
Banteng	<i>Bos taurinus</i>	Papua New Guinea	do	E	3	NA	NA	NA
Bat, Bulmer's fruit (flying fox)	<i>Aprostata bulmerae</i>	Thailand	do	E	139	NA	NA	NA
Bat, bumblebee	<i>Craseonycteris thonglongyai</i>	U.S.A. (FL)	do	E	139	NA	NA	NA
Bat, Florida bonneted	<i>Eumops floridanus</i>	Central and southeastern U.S.A.	do	E	822	NA	NA	NA
Bat, gray	<i>Myotis grisescens</i>	U.S.A. (HI)	do	E	13	NA	NA	NA
Bat, Hawaiian hoary	<i>Lasionycteris noctivagans</i>	Eastern and Midwestern U.S.A.	do	E	2	17.95(a)	NA	NA
Bat, Indiana	<i>Myotis sodalis</i>	U.S.A. (AZ, NM), Mexico, Central America	do	E	1	NA	NA	NA
Bat, lesser long-nosed	<i>Leptonycteris curasoae</i>	Western Pacific Ocean—U.S.A.	do	E	336	NA	NA	NA
Bat, little Marianas fruit	<i>Pteropus hypoxanthus</i>	Western Pacific Ocean—U.S.A.	do	E	156	NA	NA	NA
Fruit Bat, Mariana (=fanhi), Mariana flying fox)	<i>Pteropus mariannus mariannus</i>	Western Pacific Ocean—U.S.A.	do	T	156	Guam	NA	17.95(a)
Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>	(GU, MP). U.S.A. (NM, TX), Mexico, Central America	do	E	336	NA	NA	NA
Bat, Ozark big-eared	<i>Conophorus townsendii ingens</i>	U.S.A. (MO, OK, AR)	do	E	85	NA	NA	NA
Bat, Rodrigues fruit (flying fox)	<i>Pteropus rodricensis</i>	Indian Ocean—Rodrigues Island	do	E	139	NA	NA	NA

§ 17.11

50 CFR Ch. I (10-1-14 Edition)

Species	Common name	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Bat, Singapore roundleaf horse-shoe.	<i>Hipposideros tideyi</i>	<i>Malaysia</i>	do	do	E	139	NA	NA
Bat, Virginia big-eared	<i>Myotis virginianus</i> (= <i>Plecotus townsendii virginianus</i>).	<i>U.S.A. (KY, NC, WV, VA)</i>	do	do	E	85	17.95(a)	NA
Bear, American black	<i>Ursus americanus</i>	North America	U.S.A. (LA, all counties; MS, TX, only within the historic county range of the Louisiana black bear). Entire	T(SA)	456	NA	17.40(i)	
Bear, Baluchistan	<i>Ursus thibetanus gedrosianus</i>	Iran, Pakistan	do	do	E	233	NA	NA
Bear, brown	<i>Ursus arctos arctos</i>	Palaearctic	do	do	E	15, 15A	NA	NA
Do	<i>Ursus arctos pruinosus</i>	China (Tibet)	do	do	E	15	NA	NA
Bear, grizzly	<i>Ursus arctos horribilis</i>	North America	U.S.A., continental (lower 48 States, except where listed as an experimental population. U.S.A., portions of ID and MT, see 17.84(i)). Entire	T	1, 2D, 9, 759	NA	17.40(b)	
Do	do	do	do	do	XN	706	NA	17.84(i)
Bear, Louisiana black	<i>Ursus americanus luteolus</i>	U.S.A. (LA—all counties; MS—all counties south of or touching a line from Greenville, Washington County, to Meridian, Lauderdale County, TX—all counties east of or touching a line from Linden, Cass County, SW to Bryan, Brazos County, thence SSW to Rockport, Aransas County).	do	do	T	456	17.95(a)	17.40(i)
Bear, Mexican grizzly	<i>Ursus arctos</i>	Holarctic	Mexico	do	E	3	NA	NA
Bear, polar	<i>Ursus maritimus</i>	U.S.A. (AK), Canada, Russia, Denmark (Greenland), Norway, Mongolia	Entire	do	T	781	17.95(a)	17.40(q)
Beaver	<i>Castor fiber birulai</i>	Canada, Alaska	do	do	E	15	NA	NA
Bison, wood	<i>Bison bison athabascae</i>	Central Mexico	U.S. (Alaska)	do	T	3, 803	NA	NA
Bobcat, Mexican	<i>Lynx (=Felis) rufus esquimalpae</i>	South Africa	Entire	do	XN	835	NA	17.84(X)
Bontebok (antelope)	<i>Damaliscus pygargus</i> (= <i>dorcus</i>)	Mongolia, China	do	do	E	15	NA	NA
Camel, Bactrian	<i>Camelus bactrianus</i>	Canada, U.S. (AK, ID, ME, MI, MN, MT, NH, VT, WA, WI).	do	do	E	15	NA	NA
Caribou, woodland	<i>Rangifer tarandus caribou</i>	Canada (southeastern British Columbia bounded by the Canada-U.S. border, Columbia River, Kootenay River, Kootenay Lake, and Kootenai River, U.S. (ID, WA)).	do	do	E	128E 136, 143	17.95(a)	
Cat, Andean	<i>Felis jacchita</i>	Chile, Peru, Bolivia, Argentina	Entire	do	E	15	NA	NA
Cat, Asian golden (=Temminck's)	<i>Catopuma (=Felis) temminckii</i>	Nepal, China, Southeast Asia, Indonesia (Sumatra).	do	do	E	15	NA	NA
Cat, black-footed	<i>Felis nigripes</i>	Southern Africa	do	do	E	15	NA	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Cat, flat-headed	Malaysia, Indonesia	do	do	NA
Cat, Iriomote	Japan (Iriomote Island, Ryukyu Islands).	do	do	NA
Cat, leopard	India, Southeast Asia	do	do	NA
Cat, marbled	Nepal, Southeast Asia, Indonesia	do	do	NA
Cat, Pakistan sand	Pakistan	do	do	NA
Cat, tiger	Costa Rica to northern Argentina	do	do	NA
Chamois, Apennine	Italy	do	do	NA
Cheetah	Africa to India	do	do	NA
Chimpanzee	Africa—see 17.40(c)(3)	Wherever found in the wild	do	NA
Do	do	Wherever found in captivity	do	17.40(c)
Chimpanzee, pygmy	Zaire	Entire	do	NA
Chinchilla	Bolivia	do	do	NA
Civet, Malabar large-spotted	India	do	do	NA
Cochito	Mexico (Gulf of California)	do	do	NA
Deer, Bactrian	Tajikistan, Uzbekistan, Afghanist.	do	do	NA
Deer, Barbary	Morocco, Tunisia, Algeria	do	do	NA
Deer, Calamianes (=Philippine)	Philippines (Calamian Islands)	do	do	NA
Deer, Cedros Island mule	Mexico (Cedros Island)	do	do	NA
Deer, Columbian white-tailed	U.S.A. (WA, OR)	Columbia River (Clark, Cowlitz, Pacific, Skamania, and Wahkiakum Counties, WA, and Clatsop, Columbia, and Multnomah Counties, OR).	E	1,738
Deer, Corsican red	Cervus elaphus corsicanus	Corsica, Sardinia	do	NA
Deer, Eld's brow-antlered	Cervus eldi	India to Southeast Asia	do	NA
Deer, Formosan sika	Cervus nippon taivanus	Taiwan	do	NA
Deer, Indochina hog	Axis (=Cervus) porcinus	Thailand, Indochina	do	NA
Deer, key	annamiticus.	U.S.A. (FL)	do	NA
Deer, Kuh's (=Bawean)	Odocoileus virginianus clavium	Indonesia	do	NA
Deer, marsh	Axis porcinus Kuhli	Argentina, Uruguay, Paraguay, Bolivia, Brazil	do	NA
Blasius, dichotomus	Blastocerus dichotomus	Bolivia, Brazil	do	NA
Cervus elaphus macneilli	Cervus elaphus macneilli	China (Sinkiang, Tibet)	do	NA
Moschus spp. (all species)	Moschus spp. (all species)	Central and eastern Asia	do	NA
Deer, North China sika	Cervus nippon mandarinus	China (Shantung and Chihi Provinces).	E	50
Deer, pampas	Ozotoceros bezoarticus	Brazil, Argentina, Uruguay, Bolivia, Paraguay.	E	15
Deer, Persian fallow	Dama mesopotamica (=dama m.)	Iraq, Iran	E	3
Deer, Ryukyu sika	Cervus nippon keramse	Japan (Ryukyu Islands)	E	50
Deer, Shansi sika	Cervus nippon grassianus	China (Shansi Province)	E	50
Deer, South China sika	Cervus nippon kosechi	Southern China	E	3
Deer, swamp	Cervus duvaucelii	India, Nepal	E	320
Deer, Visayan	Cervus alfredi	Philippines	E	NA

§ 17.11

50 CFR Ch. I (10–1–14 Edition)

Common name	Species	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Deer, Yarkand Dhole	<i>Cervus elaphus yarkandensis</i>	<i>Cervus elaphus</i>	China (Sinkiang) C.I.S., Korea, China, India, Southeast Asia Australiado	E	50 3	NA NA	NA NA
Dibbler	<i>Antechinus apicalis</i>	<i>Antechinus pictus</i>	Sub-Saharan Africado	E	4	NA	NA
Dog, African wild	<i>Lycosa vexillifer</i>	<i>Lycosa vexillifer</i>	Chinado	E	139 350 417	NA NA NA	NA NA NA
Dolphin, Chinese river	<i>Platanista gangetica minor</i>	<i>Platanista gangetica minor</i>	Pakistan (Indus R. and tributaries), Equatorial West Africado	E	16	NA	NA
Dolphin, South Asian River (River subspecies)	<i>Mandrillus (=Papio) leucophaeus</i>	<i>Mandrillus leucophaeus</i>	East Africa to southern Japan, including Palau, Sierra Leone, Liberia, Ivory Coast.do	E	4,740	NA	NA
Drill	<i>Dugong dugon</i>	<i>Dugong dugon</i>	Senegal to Ivory Coastdo	E	50	NA	NA
Dugong	<i>Cephalophorus lentiuki</i>	<i>Cephalophorus lentiuki</i>	South-central and southeastern Asia.do	E	50	NA	NA
Duiker, Jentink's	<i>Taurotragus derbianus derbianus</i>	<i>Taurotragus derbianus derbianus</i>	Western U.S.A., Western Canada.	Entire, except where listed as an experimental population.	E	1,3, 433, 545, 546, 546, 546, 646,	NA	NA
Eland, western giant	<i>Loxodonta africana</i>	<i>Loxodonta africana</i>do	U.S.A. (specified portions of AZ, CO, MT, SD, UT, and WY, see 17.84(g)(9)).	XN	703, 737 433	NA	17.84(g)
Elephant, African	<i>Elphas maximus</i>	<i>Elphas maximus</i>dodo	E	703, 737 545, 546, 546, 546, 546, 546, 646,	NA	NA
Elephant, Asian	<i>Mustela nigripes</i>	<i>Mustela nigripes</i>dodo	E	15	NA	NA
Ferret, black-footed		dodo	E	1,3, 433, 545, 546, 546, 546, 646,	NA	NA
Fox, northern swift	<i>Vulpes velox hebes</i>	<i>Vulpes macrotis macrotis</i>	U.S.A. (northern plains), Canada	Canada	E	703, 737 3	NA	NA
Fox, San Joaquin kit		<i>Vulpes macrotis macrotis</i>	U.S.A. (CA)do	E	1	NA	NA
Fox, San Miguel Island		<i>Urocyon littoralis littoralis</i>dodo	E	742	17.95(a)	NA
Fox, Santa Catalina Island		<i>Urocyon littoralis catalinae</i>dodo	E	742	17.95(a)	NA
Fox, Santa Cruz Island		<i>Urocyon littoralis sanctacrueae</i>dodo	E	742	17.95(a)	NA
Fox, Santa Rosa Island		<i>Canis simensis</i>dodo	E	742	17.95(a)	NA
Fox, Simien		<i>Gazella gazella</i>dodo	E	50	NA	NA
Gazelle, Arabian		<i>Ammendorcas clarkei</i>dodo	E	50	NA	NA
Gazelle, Clarks		<i>Gazella dama</i>	Sinai, Somalia, Ethiopiado	E	1	NA	NA
Gazelle, dama		<i>Gazella dorcas massaesyia</i>	North Africado	E	742	17.95(a)	NA
Gazelle, Moroccan		<i>Gazella cuvieri</i>	Morocco, Algeria, Tunisiado	E	742	17.95(a)	NA
Gazelle, mountain (=Cuvier's)		<i>Gazella dorcas pezzenii</i>dodo	E	3	NA	NA
Gazelle, Peleini's		<i>Gazella subgutturosa marica</i>dodo	E	3	NA	NA
Gazelle, sand		<i>Gazella subgutturosa marica</i>	Jordan, Arabian Peninsulado	E	50	NA	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Gazelle, Saudi Arabian	Gazella dorcas saudia	Israel, Iraq, Jordan, Syria, Arabian Peninsula.	do	NA	NA
Gazelle, slender-horned	Gazella leptoceros	Sudan, Egypt, Algeria, Libya	do	NA	NA
Gibbons	Hylobates spp. (including Nomascus).	China, India, Southeast Asia	do	NA	NA
Goral	Nemorhaedus goral	East Asia	do	NA	NA
Hare, hispid	Gorilla gorilla	Central and western Africa	do	NA	NA
Hartebeest, Swayne's	Caprolagus hispidus	India, Nepal, Bhutan	do	3	NA
Hartebeest, Tora	Alceaphus buselaphus swaynei	Ethiopia, Somalia	do	15	NA
Hog, pygmy	Alceaphus buselaphus tora	Ethiopia, Sudan, Egypt	do	3, 15	NA
Horse, Przewalski's	Sus salvianus	India, Nepal, Bhutan, Sikkim	do	3	NA
Huemul, north Andean	Equis przewalskii	Mongolia, China	do	3	NA
Huemul, south Andean	Hippocamelus antisensis	Ecuador, Peru, Chile, Bolivia, Argentina	do	NA	NA
Huita, Cabrer's	Hippocamelus bisulcus	Chile, Argentina	do	NA	NA
Huita, dwarf	Capromys angelcabrali	Cuba	do	NA	NA
Huita, large-eared	Capromys nana	do	do	NA	NA
Huita, little earth	Capromys auritus	do	do	NA	NA
Hyena, Barbary	Hyena hyaena barbara	Morocco, Algeria, Tunisia	do	233	NA
Hyena, brown	Parahyaena (=Hyæna) brunnea	Southern Africa	do	233	NA
Ibex, Pyrenean	Capra pyrenaica pyrenaica	Spain	do	3	NA
Ibex, Walla	Capra wallie	Ethiopia	do	3	NA
Impala, black-faced	Aepyceros melampus petersi	Namibia, Angola	do	3	NA
Indri	Indri indri (=entire genus)	Madagascar	do	3	NA
Jaguar	Panthera onca	U.S.A. (AZ, CA, LA, NM, TX)	do	5, 622	17.95(a)
Jaguarundi, Guatemalan	Herpailurus yagouaroundi fossata. (=Felis)	Mexico, Central and South America	do	NA	NA
Jaguarundi, Gulf Coast	Herpailurus yagouaroundi cacomitli. (=Felis)	U.S.A. (TX), Mexico	do	15	NA
Jaguarundi, Panamanian	Herpailurus yagouaroundi panamensis. (=Felis)	Nicaragua, Costa Rica, Panama	do	15	NA
Jaguarundi, Sinaloan	Herpailurus yagouaroundi tolteca. (=Felis)	U.S.A. (AZ), Mexico	do	NA	NA
Kangaroo rat, Fresno	Dipodomys nitratoides exilis	U.S.A. (CA)	do	15	NA
Kangaroo rat, giant	Dipodomys ingens	do	do	170	17.95(a)
Kangaroo rat, Morro Bay	Dipodomys heermanni	do	do	251	NA
Kangaroo rat, San Bernardino	Dipodomys merriami parvus	do	do	2	17.95(a)
Kangaroo rat, Stephens'	Dipodomys stephensi (incl. D. cæsus);	do	do	632E, 645	17.95(a)
Kangaroo rat, Tipton	Dipodomys nitratoides giganteus	Australia (Tasmania)	do	338	NA
Kangaroo, Tasmanian forester	Macropus tasmaniensis.	Australia	do	312	NA
Koala	Phascogaleus cinereus	Australia	do	6	NA
		Australia	T	698	NA

§ 17.11

50 CFR Ch. I (10-1-14 Edition)

Common name	Species	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Kouprey	<i>Bos sauveli</i>	(= <i>Presbytis</i>)	Vietnam, Laos, Cambodia, Thailand.	Entire	E	3	NA	NA
Langur, capped	<i>Trachypithecus pileatus.</i>	(= <i>Presbytis</i>)	India, Burma, Bangladesh	do	E	15	NA	NA
Langur, Douc	<i>Pygathrix nemaeus</i>	(= <i>Presbytis</i>)	Cambodia, Laos, Vietnam	do	E	3	NA	NA
Langur, Francois'	<i>Trachypithecus francoisi.</i>	(= <i>Presbytis</i>)	China (Kwangsi), Indochina	do	E	16	NA	NA
Langur, golden	<i>Trachypithecus (Presbytis) geei</i>	(= <i>Presbytis</i>)	India (Assam), Bhutan	do	E	15	NA	NA
Langur, gray (=entellus)	<i>Semnopithecus entellus.</i>	(= <i>Presbytis</i>)	China (Tibet), India, Pakistan, Kashmir, Sri Lanka, Sikkim, Bangladesh, India	do	E	15	NA	NA
Langur, long-tailed	<i>Presbytis potenziani</i>	(= <i>Presbytis</i>)	do	T	16	NA	NA	17.40(c)
Langur, Pagi Island	<i>Nasalis concolor</i>	(= <i>Presbytis</i>)	do	E	3	NA	NA	NA
Langur, purple-faced	<i>Presbytis senex</i>	(= <i>Presbytis</i>)	do	T	16	NA	NA	17.40(c)
Lechwe, red	<i>Kobus leche</i>	(= <i>Antidorcas</i>)	do	T	3, 15,	NA	NA	NA
Lemurs	Lemuridae (incl. genera <i>Lemur</i> , <i>Planier</i> , <i>Hapalemur</i> , <i>Lepilemur</i> , <i>Microcebus</i> , <i>Allocebus</i> , <i>Microcebus</i> , <i>Chiropogaleus</i> , <i>Variedia</i>).	Repubic	Madagascar.	do	E	3, 15,	NA	NA
Leopard	<i>Panthera pardus</i>	(= <i>Panthera</i>)	Africa, Asia	Wherever found, except where it is listed as Threatened as set forth below.	E	3, 5,	NA	NA
Do	do	do	In Africa, in the wild, south of, and including, the following countries: Gabon, Congo, Zaire, Uganda, Kenya.	T	3, 5,	NA	NA	17.40(f)
Leopard, clouded	<i>Neofelis nebulosa</i>	(= <i>Panthera</i>)	Southeastern and south-central Asia, Taiwan..	Entire	E	3, 15	NA	NA
Leopard, snow	<i>Uncia (=Panthera) unda</i>	(= <i>Panthera</i>)	Central Asia	do	E	5	NA	NA
Linsang, spotted	<i>Prionodon pardicolor</i>	(= <i>Panthera</i>)	Nepal, Assam, Vietnam, Cambodia, Laos, Burma.	do	E	15	NA	NA
Lion, Asiatic	<i>Panthera leo persica</i>	(= <i>Panthera</i>)	Turkey to India	do	E	3	NA	NA
Loris, lesser slow	<i>Nycticebus pygmaeus</i>	(= <i>Nycticebus</i>)	Indochina	do	T	16	NA	17.40(c)
Lynx, Canada	<i>Lynx canadensis</i>	(= <i>Lynx</i>)	U.S.A. (AK, CO, ID, ME, MI, MN, MT, NH, NY, OR, UT, VT, WA, WI, WY), Canada, circumboreal.	do	T	692	17.95(a)	17.40(K)
Lynx, Spanish	<i>Felis pardina</i>	(= <i>Felis</i>)	Spain, Portugal	Entire	E	3	NA	NA
Macaque, Formosan rock	<i>Macaca cyclopis</i>	(= <i>Macaca</i>)	Taiwan	do	T	16	NA	17.40(c)
Macaque, Japanese	<i>Macaca fuscata</i>	(= <i>Macaca</i>)	Japan (Shikoku, Kyushu and Honshu Islands).	do	T	16	NA	17.40(c)
Macaque, lion-tailed	<i>Macaca silenus</i>	(= <i>Macaca</i>)	India	do	E	3	NA	NA
Macaque, stump-tailed	<i>Macaca arctoides</i>	(= <i>Macaca</i>)	India (Assam) to southern China	do	T	16	NA	17.40(c)
Macaque, Toque	<i>Macaca sinica</i>	(= <i>Macaca</i>)	Sri Lanka	do	T	16	NA	17.40(c)

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Manatee, Amazonian	<i>Trichechus inunguis</i>	South America (Amazon R. basin).	do	NA	NA
Manatee, West African	<i>Trichechus senegalensis</i>	West Coast of Africa from Senegal R. to Cuanza R.	do	T 52	NA
Manatee, West Indian	<i>Trichechus manatus</i>	U.S.A. (southeastern), Caribbean Sea, South America.	do	E 1, 3	17.95(a) 17.108(a)
Mandrill	<i>Mandrillus (=Papio) sphinx</i>	Equatorial West Africa	do	E 16	NA
Mangabey, Tana River	<i>Cercopithecus galeritus galerus</i>	Kenya	do	E 3	NA
Mangabey, white-collared	<i>Cercopithecus torquatus</i>	Senegal to Ghana; Nigeria to Gabon.	do	E 16	NA
Margay	<i>Leopardus (=Felis) wiedii</i>	U.S.A. (TX), Central and South America.	Mexico southward	E 5	NA
Markhor, chitalan (=wild goat)	<i>Capra falconeri</i> (=aegegrus) chitalanensis.	Chilian Range of west-central Pakistan.	Entire	E 15	NA
Markhor, Kabul	<i>Capra falconeri megacephala</i>	Afghanistan, Pakistan	do	E 15	NA
Markhor, straight-horned	<i>Capra falconeri ferdoni</i>	do	do	E 15	NA
Marmoset, buff-headed	<i>Callithrix flaviceps</i>	Brazil	do	E 139	NA
Marmoset, cotton-top	<i>Saguinus oedipus</i>	Costa Rica to Colombia	do	E 16	NA
Marmoset, Goeldi's	<i>Callimico goeldii</i>	Brazil; Colombia, Ecuador, Peru, Bolivia.	do	E 3	NA
Marmoset, white-eared (=buffy tuff-ed-ear),	<i>Callithrix aurita</i> (=iacchus a.)	Brazil	do	E 233	NA
Marmot, Vancouver Island	<i>Marmota vancouverensis</i>	Canada (Vancouver Island)	do	E 139	NA
Marsupial, eastern jerboa	<i>Smirnithopsis psammophila</i>	Australia	do	E 4	NA
Marsupial-mouse, large desert	<i>Smirnithopsis longicaudata</i>	do	do	E 4	NA
Martens, Formosan yellow-throated	<i>Martes flavigula chrysospila</i>	Taiwan	do	E 3	NA
Monkey, black colobus	<i>Colobus satanas</i>	Equatorial Guinea, People's Republic of Congo, Cameroon, Gabon.	do	E 16	NA
Monkey, black howler	<i>Alouatta pigra</i>	Mexico, Guatemala, Belize	do	T 16	NA
Monkey, Diana	<i>Ceropithecus diana</i>	Coastal West Africa	do	E 16	NA
Monkey, Guizhou snub-nosed	<i>Rhinopithecus brelichi</i>	China	do	400	NA
Monkey, Lhoests	<i>Ceropithecus lhoesti</i>	Upper eastern Congo R. Basin, Cameroon.	do	E 16	NA
Monkey, mantled howler	<i>Alouatta palliata</i>	Mexico to South America	do	E 15	NA
Monkey, Preuss' red colobus	<i>Procolobus (=Coclobus) preussi</i>	Cameroon	do	E 139	NA
Monkey, proboscis	<i>(=Pardus P.). Nasalis larvatus</i>	Borneo	do	E 15	NA
Monkey, red-backed squirrel	<i>Saimiri oerstedii</i>	Costa Rica, Panama	do	E 3	NA
Monkey, red-bellied	<i>Ceropithecus erythrogaster</i>	Western Nigeria	do	E 16	NA
Monkey, red-eared nose-spotted	<i>Rhinopithecus roxellana</i>	Nigeria, Cameroon, Fernando Po	do	E 16	NA
Monkey, Sichuan snub-nosed	<i>Atelos geoffroyi frontatus</i>	China	do	400	NA
Monkey, spider	<i>Atelos geoffroyi panamensis</i>	Costa Rica, Nicaragua	do	E 3	NA
Do	<i>Procolobus rufomitratus</i> (= <i>Colobus rufomitratus</i>)	Costa Rica, Panama	do	E 3	NA
Monkey, Tana River red colobus	<i>Rhinopithecus avunculus</i>	Kenya	do	E 3	NA
Monkey, Tonkin snub-nosed	<i>Brachyteles arachnoides</i>	Vietnam	do	E 16, 400	NA
Monkey, woolly spider	<i>Lagothrix flavicauda</i>	Brazil	do	E 3	NA
Monkey, yellow-tailed woolly		Andes of northern Peru	do	E 16	NA

§ 17.11

50 CFR Ch. I (10–1–14 Edition)

Common name	Species	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Monkey, Yuman snub-nosed Monkey, Zanzibar red colobus	<i>Rhinopithacus bieti</i> (= <i>Colobus pennantii</i>) <i>Procolobus (=Kirkia) kirkii</i> .	<i>China</i>	<i>Tanzania</i>do	E	400	NA	NA
Mountain beaver, Point Arena	<i>Aplodontia rufa nigra</i>	<i>U.S.A. (CA)</i>	<i>U.S.A. (AL)</i>do	E	454	NA	NA
Mouse, Alabama beach	<i>Peromyscus ammobates</i>	<i>U.S.A. (AL)</i>do	E	183	17.95(a)	NA
Mouse, Anastasia Island beach	<i>Peromyscus polionotus phasma</i>	<i>U.S.A. (FL)</i>	<i>Australia</i>do	E	349	NA	NA
Mouse, Australian native	<i>Notomys aquilo</i>	<i>Australia</i>do	E	15	NA	NA
Do	<i>Zyzomys pedunculatus</i>do	<i>U.S.A. (FL)</i>do	E	15	NA	NA
Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophrys</i>	<i>Australia</i>do	E	183	17.95(a)	NA
Mouse, Fields	<i>Pseudomys fieldi</i>	<i>Australia</i>do	E	4	NA	NA
Mouse, Gould's	<i>Pseudomys gouldii</i>do	E	6	NA	NA
Mouse, Key Largo cotton	<i>Peromyscus gossypinus</i>	<i>U.S.A. (FL)</i>do	E	131E,	NA	NA
Mouse, New Holland	<i>Pseudomys novaehollandiae</i>	<i>Australia</i>do	E	160	NA	NA
Mouse, New Mexico meadow jumping	<i>Zapus hudsonius luteus</i>	<i>U.S. (AZ, CO, NM)</i>do	E	4	NA	NA
Mouse, Pacific pocket	<i>Perognathus pacificus</i>	<i>U.S.A. (CA)</i>do	E	838	NA	NA
Mouse, Perdido Key beach	<i>Peromyscus trisyllurus</i>	<i>U.S.A. (AL, FL)</i>do	E	526E, 554	NA	NA
Mouse, Pribilof's meadow jumping	<i>Zapus hudsonius praeblei</i>	<i>U.S.A. (CO, WY)</i>do	E	183	17.95(a)	NA
Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>	<i>U.S.A. (CA)</i>do	T	636	17.95(a)	17.40(l)
Mouse, Shark Bay	<i>Pseudomys praecox</i>	<i>Australia</i>do	E	2	NA	NA
Mouse, Shortridge's	<i>Pseudomys shortridgei</i>dodo	E	4	NA	NA
Mouse, smoky	<i>Pseudomys fumeus</i>do	<i>U.S.A. (FL)</i>do	E	4	NA	NA
Mouse, southeastern beach	<i>Peromyscus nivalis</i>do	T	349	NA	NA
Mouse, St. Andrew beach	<i>Peromyscus peninsulae</i>dodo	E	655	17.95(a)	NA
Mouse, western	<i>Pseudomys occidentalis</i>	<i>Australia</i>do	E	4	NA	NA
Muntjac, Fea's	<i>Muntiacus feae</i>	<i>Northern Thailand, Burma</i>do	E	50	NA	NA
Native-cat, eastern	<i>Dasyurus viverrinus</i>	<i>Australia</i>do	E	6	NA	NA
Numbat	<i>Myrmecobius fasciatus</i>dodo	E	4, 6	NA	NA
Ocelot	<i>Leopardus (=Felis) pardalis</i>	<i>U.S.A. (AZ, TX)</i> to Central and South America.do	E	5, 119	NA	NA
Orangutan	<i>Pongo pygmaeus</i>	<i>Borneo, Sumatra</i>do	E	3	NA	NA
Oryx, Arabian	<i>Oryx leucoryx</i>	<i>Arabian Peninsula</i>do	E	3	NA	NA
Oryx, scimitar-horned	<i>Oryx dammeh</i>	<i>North Africa</i>do	E	NA	NA
Otter, Cameroon clawless	<i>Onyx conicus</i> (= <i>conicus</i>)	<i>Cameroon, Nigeria</i>do	E	3	NA	NA
Otter, giant	<i>Microdon</i>do	E	3	NA	NA
Otter, long-tailed	<i>Pteronura brasiliensis</i>	<i>South America</i>do	E	3, 15	NA	NA
Otter, marine	<i>Lutra (=Lutra) felina</i>do	E	15	NA	NA
			Peru south to Straits of Magellando				

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Otter, northern sea	<i>Enhydra lutis kenyoni</i>	U.S.A. (AK, WA)	764	17.95(a)	17.40(p)
Otter, southern river	<i>Lutra (=Lutra) provocax</i>	Southwest Alaska, from Attu Island to Western Cook Inlet, including Bristol Bay, the Kodiak Archipelago, and the Baren Islands.	T	15	NA
Otter, southern sea	<i>Enhydra lutis nereis</i>	Entire	21	NA	NA
Panda, giant	<i>Ailuropoda melanoleuca</i>	Chile, Argentina	E	139	NA
Pangolin, Temmick's ground Panther, Florida	<i>Manis temminckii</i>	West Coast, U.S.A. (CA, OR, WA) south to Mexico (Baja California).	E	15	NA
Planigale, little	<i>Puma (=Felis) concolor coryi</i>	China	E	1	NA
Planigale, southern	<i>Planigale ingrami subtilissima</i>	Africa	do	do	NA
Pocket gopher, Olympia	<i>Thomomys mazamae pugetensis</i>	U.S.A. (LA and AR east to SC and FL).	do	do	NA
Pocket gopher, Roy Prairie	<i>Thomomys mazama mazama</i>	Australia	do	do	NA
Pocket gopher, Tehno	<i>Thomomys mazama tunuli</i>	U.S.A. (WA)	do	do	NA
Pocket gopher, Yelm	<i>Thomomys mazama yelmensis</i>	do	do	do	17.95(a)
Porcupine, thin-spined	<i>Chaetomys subspinosus</i>	Brazil	do	do	17.40(a)
Possum, Leadbeater's	<i>Gymnobelideus leadbeateri</i>	Australia	do	do	17.95(a)
Possum, mountain pygmy	<i>Burramys parvus</i>	do	do	do	17.40(a)
Possum, scaly-tailed	<i>Wyulda squamicaudata</i>	Mexico	do	do	17.95(a)
Prairie dog, Mexican	<i>Cynomys mexicanus</i>	U.S.A. (UT)	do	do	17.40(a)
Prairie dog, Utah	<i>Cynomys parvidens</i>	Mexico (Baja California)	do	do	17.40(a)
Pronghorn, peninsular	<i>Antilocapra peninsulae</i>	Entire, except where listed as an experimental population. In Arizona, an area north of Interstate 8 and south of Interstate 10, bounded by the Colorado River on the west and Interstate 10 on the east; and an area south of Interstate 8, bounded by Highway 85 on the west, Interstates 10 and 19 on the east, and the U.S.-Mexico border on the south.	E	782	NA
Pronghorn, Sonoran	<i>Antilocapra sonoriensis</i> , <i>Antilocapra sonoriensis</i> .	U.S.A. (AZ), Mexico	do	do	17.84(v)
Pudu	<i>Pudu pudu</i>	Southern South America	E	1,3	NA
Puma (=mountain lion)	<i>Puma (=Felis) concolor</i> (all subspp. except coryi). <i>Puma (=Felis) concolor concolor</i>	Canada to South America	U.S.A. (FL)	782	NA
Puma, Costa Rican	<i>Puma (=Felis) concolor costaricensis</i> .	Nicaragua, Panama, Costa Rica	E	15	NA
Puma (=cigar), eastern	<i>Puma (=Felis) concolor cougar</i>	Eastern North America	E	6	NA
Quokka	<i>Setonix brachyurus</i>	Australia	E	6	NA
Rabbit, Columbia Basin pygmy	<i>Brachylagus idahoensis</i>	U.S.A. (western conterminous U.S.).	U.S.A. (WA—Douglas, Grant, Lincoln, Adams, Benton Counties).	390	NA
Rabbit, Lower Keys	<i>Sylvilagus palustris hefneri</i>	U.S.A. (FL)	Entire	do	NA

§ 17.11

50 CFR Ch. I (10–1–14 Edition)

Species	Common name	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Rabbit, riparian brush	<i>Sylvilagus bachmani riparius</i>	U.S.A. (CA)	do	do	E	687	NA	NA
Rabbit, Ryukyu	<i>Pentolagrus turnessi</i>	Japan (Ryukyu Islands)	do	do	E	50	NA	NA
Rabbit, volcano	<i>Pentolagrus diazi</i>	Mexico	do	do	E	3	NA	NA
Rat, false water	<i>Xeromys myoides</i>	Australia	do	do	E	4	NA	NA
Rat, stick-neck	<i>Leporillus conditor</i>	do	do	do	E	6	NA	NA
Rat-kangaroo, brush-tailed	<i>Bettongia penicillata</i>	do	do	do	E	4	NA	NA
Rat-kangaroo, desert (=plain)	<i>Caloprymnus campestris</i>	do	do	do	E	4	NA	NA
Rat-kangaroo, Gaimard's	<i>Bettongia gaimardi</i>	do	do	do	E	6	NA	NA
Rat-kangaroo, Lesuer's	<i>Bettongia lesueuri</i>	do	do	do	E	4	NA	NA
Rat-kangaroo, Queensland	<i>Bettongia tropica</i>	Sub-Saharan Africa	do	do	E	4	NA	NA
Rhinoceros, black	<i>Dicerorhinus bicornis</i>	India, Nepal	do	do	E	97	NA	NA
Rhinoceros, great Indian	<i>Rhinoceros unicornis</i>	India, Nepal	do	do	E	4	NA	NA
Rhinoceros, Javan	<i>Rhinoceros sondaicus</i>	Indonesia, Indochina, Burma, Thailand, Sikkim, Bangladesh, Malaysia, Zaire, Sudan, Uganda, Central African Republic.	do	do	E	3	NA	NA
Rhinoceros, northern white	<i>Ceratotherium simum cottoni</i>	Botswana, South Africa, Swaziland, Zambia, Zimbabwe, Botswana (Borneo).	do	do	T(SA)	832	NA	NA
Rhinoceros, southern white	<i>Ceratotherium simum simum</i>	do	do	do	E	3	NA	NA
Rhinoceros, Sumatran	<i>Dicerorhinus sumatrensis</i>	Lower FL Keys (west of Seven Mile Bridge), Entire	do	do	E	421	17.95(a)	NA
Rice rat	<i>Oryzomys palustris natator</i>	Mongolia	do	do	E	15	NA	NA
Saiga, Mongolian (antelope)	<i>Saiga tatarica mongolica</i>	Brazil	do	do	E	233	NA	NA
Saki, southern bearded	<i>Chiropotes satanas satanas</i>	U.S.A. (AK, CA, OR, WA), Canada, Russia; North Pacific Ocean.	Western DPS—see 50 CFR 224.101, do	do	E	3	NA	NA
Saki, white-nosed	<i>Chiropotes albifrons</i>	do	do	do	E	384E, 408, 614	226.202	224.103, 226.202
Sea lion, Steller (Western DPS)	<i>Eumetopias jubatus</i>	Arctic and Pacific Oceans	do	do	T	816	NA	NA
Seal, bearded (Beringia DPS)	<i>Erignathus barbatus nauticus</i>	Pacific Ocean	Okhotsk, DPS—see 50 CFR 223.102, do	do	T	816	NA	NA
Seal, bearded (Okhotsk DPS)	<i>Erignathus barbatus nauticus</i>	U.S.A. (Farallon Islands of CA) south to Mexico (Isla Revillagigedo).	do	do	T	1,2D, 212	NA	223.201
Seal, Guadalupe fur	<i>Arctocephalus townsendi</i>	U.S.A. (Hawaii)	do	do	E	18	226.201	NA
Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	Mediterranean, Northwest African Coast and Black Sea.	do	do	E	3	NA	NA
Seal, Mediterranean monk	<i>Monachus monachus</i>	Arctic Ocean	do	do	T	816	NA	NA
Seal, ringed (Arctic subspecies)	<i>Phoca (=Pusa) hispida hispida</i>	Baltic Sea	do	do	T	816	NA	NA
Seal, ringed (Baltic subspecies)	<i>Phoca (=Pusa) hispida botnica</i>	Russia (Lake Ladoga)	do	do	E	816	NA	NA
Seal, ringed (Ladoga subspecies)	<i>Phoca (=Pusa) ladogensis</i>	do	do	do	T	816	NA	NA
Seal, ringed (Okhotsk subspecies)	<i>Phoca hispida ochotensis</i>	Pacific Ocean	do	do	T	816	NA	NA
Seal, ringed (Saimaa subspecies)	<i>Phoca hispida saimensis</i>	Finland (Lake Saimaa)	do	do	E	508	NA	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Seal, spotted (Southern DPS)	<i>Phoca largha</i>	Pacific Ocean; Sea of Japan and northern Yellow Sea.	Southern DPS—see 223.102.	50 CFR	T	776	NA	223.212
Seledang	<i>Bos gaurus</i>	Bangladesh, Southeast Asia, India.	Entire		E	3	NA	NA
Serow	<i>Naemorhedus sumatrensis</i> (=Capricornis) <i>Lepidurus constantina</i> .	East Asia, Sumatra	do		E	15	NA	NA
Serval, Barbary	<i>Felis serval</i>	Algeria	do		E	3	NA	NA
Shapo	<i>Ovis vignei vignai</i>	Kashmir	do		E	15	NA	NA
Sheep, Peninsular bighorn	<i>Ovis canadensis nelsoni</i>	U.S.A. (western conterminous States), Canada (south-western), Mexico (northern).	U.S.A. (CA) Peninsular Ranges ..		E	634	17.95(a)	NA
Sheep, Sierra Nevada bighorn	<i>Ovis canadensis sierrae</i>	U.S.A. (CA)—Sierra Nevada	U.S.A. (CA)—Sierra Nevada		E	660E	17.95(a)	NA
Shou	<i>Cervus elaphus wallachi</i>	Tibet, Bhutan	Entire		E	675	3	NA
Shrew, Buena Vista Lake	<i>Sorex ornatus relicus</i>	U.S.A. (CA)	do		E	725	17.95(a)	NA
Siamang	<i>Sympalangus syndactylus</i>	Malaysia, Indonesia	do		E	15	NA	NA
Sifakas	<i>Propithecus spp.</i>	Madagascar	do		E	4	NA	NA
Sloth, Brazilian three-toed	<i>Bradypus torquatus</i>	Brazil	do		E	3	NA	NA
Solenodon, Cuban	<i>Solenodon paradoxus</i>	Cuba	do		E	3	NA	NA
Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>	Dominican Republic, Haiti	do		E	3	NA	NA
Squirrel, Delmarva Peninsula fox	<i>Sciurus niger cineratus</i>	U.S.A. (NC, TN)	do		E	189	NA	NA
Do	do	U.S.A. (Delmarva Peninsula to southeastern PA).	Entire, except Sussex Co., DE ..		E	1, 161	NA	NA
Squirrel, Mount Graham red	<i>Tamiasciurus hudsonicus</i>	U.S.A. (AZ)	do		XN	161	17.95(a)	NA
Squirrel, northern Idaho ground	<i>Spermophilus grammensis</i>	U.S.A. (ID)	do		E	268	17.95(a)	NA
Stag, Barbary	<i>Cervus elaphus barbarus</i>	Tunisia, Algeria	do		T	693	NA	NA
Stag, Kashmir	<i>Cervus elaphus hanglu</i>	Kashmir	do		E	3	NA	NA
Suni, Zanzibar	<i>Neotragus moschatus moschatus</i>	Zanzibar (and nearby islands)	do		E	3	NA	NA
Tahr, Arabian	<i>Hemitragus jayakari</i>	Oman	do		E	50	NA	NA
Tamaraw	<i>Bubalus mindorensis</i>	Philippines	do		E	4	NA	NA
Tamarin, golden-rumped	<i>Leontopithecus spp.</i>	Brazil	do		E	3	NA	NA
Tamarin, pied	<i>Saguinus bicolor</i>	Colombia	do		E	16	NA	NA
Tamarin, white-footed	<i>Saguinus leucopus</i>	Burma, Laos, Cambodia, Vietnam, Thailand	do		T	16	NA	17.40(c)
Tapir, Asian	<i>Tapirus indicus</i>	Indonesia, Thailand, Southern Mexico to Colombia	do		E	15	NA	NA
Tapir, Central American	<i>Tapirus bairdii</i>	do	do		E	3	NA	NA
Tapir, mountain	<i>Tapirus pinchaque</i>	Colombia, Ecuador and possibly Peru and Venezuela.	do		E	3	NA	NA
Tapir, South American (=Brazilian)	<i>Tapirus terrestris</i>	Colombia and Venezuela south to Paraguay and Argentina.	do		E	3	NA	NA
Tarsier, Philippine	<i>Tarsius syrichta</i>	Philippines	do		T	16	NA	17.40(c)
Tiger	<i>Panthera tigris</i>	Temperate and tropical Asia	do		E	3.5	NA	NA
Tiger, Tasmanian	<i>Thylacinus cynocephalus</i>	Australia	do		E	3	NA	NA

§ 17.11

50 CFR Ch. I (10–1–14 Edition)

Common name	Species	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Uakari (all species)	<i>Cacajao</i> spp.	Peru, Brazil, Ecuador, Colombia, Venezuela.	do	do	E	3	NA	NA
Urial	<i>Ovis musimon opionis</i>	Cyprus	do	do	E	15	NA	NA
Vicuña	<i>Vicugna vicugna</i>	Argentina, Bolivia, Chile, Ecuador, Peru.	Entire, except Ecuador	do	T	3,724	NA	17.40(m)
Dodo	U.S.A. (CA)	Ecuador	Ecuador	E	3,724	NA	NA
Vole, Amargosa	<i>Microtus californicus scirpensis</i>	U.S.A. (FL)	Entire	do	E	166	17.95(a) 415	NA
Vole, Florida salt marsh	<i>Microtus pennsylvanicus dukemcampbelli</i> .	U.S.A. (AZ)	do	do	E	4	NA	NA
Vole, Hulapai Mexican	<i>Microtus mexicanus hulapaiensis</i>	Australia	do	do	E	292	NA	NA
Wallaby, banded hare	<i>Lagostrophus fasciatus</i>	do	do	do	E	4	NA	NA
Wallaby, blindfold nail-tailed	<i>Onychogalea fraenata</i>	do	do	do	E	4	NA	NA
Wallaby, crescent nail-tailed	<i>Onychogalea lunata</i>	do	do	do	E	4	NA	NA
Wallaby, Parma	<i>Macropus parma</i>	do	do	do	E	4	NA	NA
Wallaby, western hare	<i>Lagorchestes hirsutus</i>	do	do	do	E	4	NA	NA
Wallaby, yellow-footed rock	<i>Petrogale xanthopus</i>	do	do	do	E	6	NA	NA
Whale, beluga (Cook Inlet DPS)	<i>Delphinapterus leucas</i>	Oceanic; Cook Inlet, northern Gulf of Alaska.	Cook Inlet DPS—see 50 CFR 224.101.	E	776	226.220	NA	NA
Whale, blue	<i>Balaenoptera musculus</i>	Oceanic	Entire	E	3	NA	NA	NA
Whale, bowhead	<i>Balaena mysticetus</i>	Oceanic (north latitudes only)	do	E	3	NA	NA	NA
Whale, false killer (Main Hawaiian Islands Insular DPS)	<i>Pseudorca crassidens</i>	Main Hawaiian Islands	Main Hawaiian Islands Insular DPS—see 50 CFR 224.101.	E	816	NA	NA	NA
Whale, finback	<i>Balaenoptera physalus</i>	Oceanic	Entire	E	3	NA	NA	NA
Whale, gray (Western North Pacific DPS)	<i>Eschrichtius robustus</i>	North Pacific Ocean—coastal and Bering Sea, formerly North Atlantic Ocean.	Western North Pacific DPS—see 50 CFR 224.101.	E	3,540	NA	NA	NA
Whale, humpback	<i>Megaptera novaengliae</i>	Oceanic	Entire	E	3	224.101, 224.103	226.206 224.103	224.103
Whale, killer (Southern Resident DPS)	<i>Orcinus orca</i>	Pacific Ocean	Southern Resident DPS—see 50 CFR 224.101.	E	756	226.206	226.203	224.103
Whale, North Atlantic right	<i>Eubalaena glacialis</i>	Oceanic	Entire	E	3	226.203	NA	NA
Whale, North Pacific right	<i>Eubalaena japonica</i>	do	do	E	3	226.215	NA	NA
Whale, Southern right	<i>Eubalaena australis</i>	do	do	E	3	NA	NA	NA
Whale, Sei	<i>Balaenoptera borealis</i>	do	do	E	3	NA	NA	NA
Whale, sperm	<i>Physeter catodon</i> (=macrocephalus).	do	do	E	3	NA	NA	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

<p>Wolf, gray</p> <p><i>Canis lupus</i></p> <p>Holarctic</p>	<p>U.S.A.: All of AL, AR, CA, CO, CT, DE, FL, GA, KS, KY, LA, MA, MD, ME, MO, MS, NC, NE, NH, NJ, NV, NY, OK, PA, RI, SC, TN, VA, VT and WV; those portions of AZ, NM, and TX not included in an experimental population as set forth below; and portions of IA, IN, IL, ND, OH, OR, SD, UT, and WA as follows: (1) Southern IA, (that portion south of the centerline of Highway 80); (2) Most of IN (that portion south of the centerline of Highway 80); (3) Most of IL (that portion south of the centerline of Highway 80); (4) Western ND (that portion south and west of the Missouri River upstream to Lake Sakakawea and west of the centerline of Highway 83 from Lake Sakakawea to the Canadian border); (5) Most of OH (that portion south of the centerline of Highway 80 and east of the Maumee River at Toledo); (6) Western OR (that portion of OR west of the centerline of Highway 395 and Highway 78 north of Burns Junction and that portion of OR west of the centerline of Highway 95 south of Burns Junction); (7) Western SD (that portion south and west of the Missouri River); (8) Most of Utah (that portion of UT south and west of the centerline of Highway 84 and that portion of UT south of Highway 80 from Echo to the UT/WY State line); and (9) Western WA (that portion of WA west of the centerline of Highway 97 and Highway 17 north of Mesa and that portion of WA west of the centerline of Highway 395 south of Mesa), Mexico..</p>	<p>NA</p>
<p>E</p>	<p>1, 6, 13, 15, 35</p>	<p>NA</p>

§ 17.11

50 CFR Ch. I (10–1–14 Edition)

Common name	Species	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	Critical habitat	Special rules
Do	do	U.S.A. (portions of AZ, NM, and TX—see § 17.84(k)).	XN	631	NA
Wolf, maned	<i>Chrysocyon brachyurus</i>	Argentina, Bolivia, Brazil, Paraguay, Uruguay, U.S.A. (SE U.S.A., west to central TX).	Entire	E	4	NA
Wolf, red	<i>Canis rufus</i>	do	Entire, except where listed as experimental populations below.	E	1, 248, 449, 579 248, 449, 579	NA
Do	do	U.S.A. (portions of NC and TN—see § 17.84(c)(9)).	XN	17.84(c)	NA
Wombat, Queensland hairy-nosed (incl. Barnard's), Woodrat, Key Largo	<i>Lasiurus kreefii</i> (formerly <i>L. barnardi</i> and <i>L. gilesiepi</i>). <i>Neotoma floridana smalli</i>	Australia	Entire	E	4, 6	NA
Woodrat, riparian (San Joaquin Valley).	U.S.A. (FL)	do	E	131E, 160	NA
Yak, wild	<i>Neotoma fuscipes riparia</i>	U.S.A. (CA)	do	E	687	NA
Zebra, Grey's	<i>Bos mutus</i> (= <i>grunniens m.</i>)	China (Tibet), India	do	E	3	NA
Zebra, Hartmann's mountain	<i>Equis grevyi</i>	Kenya, Ethiopia, Somalia	do	T	54	NA
Zebra, mountain	<i>Equis zebra hartmannae</i>	Namibia, Angola	do	T	15, 111	NA
BIRDS	<i>Equis zebra zebra</i>	South Africa	do	E	15, 111	NA
Adjutant, greater	<i>Leptoptilos dubius</i>	Entire	do	E	783	NA
Akeape (honeycreeper)	<i>Loxopscæneleriostros</i>	U.S.A. (HI)	do	E	765	17.95(b)
Akeape, Hawaii (honeycreeper)	<i>Loxops coccineus coccineus</i>	do	do	E	2	NA
Akeape, Maui (honeycreeper)	<i>Loxops coccineus ochraceus</i>	do	do	E	2	NA
Akaiola, Kauai (honeycreeper)	<i>Hemignathus procerus</i>	do	do	E	1	NA
Akiapolaau (honeycreeper)	<i>Hemignathus munroi</i>	do	do	E	1	NA
Akikiki (honeycreeper)	<i>Oreomyzopsis bairdi</i>	do	do	E	765	17.95(b)
Albatross, Amsterdam	<i>Dionema amstelensis</i>	Indian Ocean—Amsterdam Island	do	E	571	NA
Albatross, short-tailed	<i>Phoebastria albatrus</i> . (=Diomedea)	North Pacific Ocean and Bering Sea—Canada, China, Japan, Mexico, Russia, Taiwan, U.S.A. (AK, CA, HI, OR, WA). Malawi, Mozambique	do	E	3, 700	NA
Alethe, Thiolo	<i>Alatea choloensis</i>	Colombia, South America	do	E	571	NA
Antipitta, brown-banded	<i>Grallaria milieri</i>	Brazil	do	E	813	NA
Antwren, black-hooded	<i>Formicivora erythronotos</i>	U.S.A. (PR)	do	E	774	NA
Blackbird, yellow-shouldered	<i>Agelaius xanthomus</i>	U.S.A. (AZ)	do	E	17	17.95(b)
Bobwhite, masked (quail)	<i>Colinus virginianus ridgwayi</i>	Mexico (Sonora)	do	E	1, 3	NA
Booby, Abbott's	<i>Papasula</i> (= <i>Sula</i>) <i>abbotti</i>	Christmas Island	do	E	15	NA
Bristlebird, western	<i>Dasyornis longirostris</i> (= <i>brachypterus l.</i>)	Australia	do	E	3	NA
Bristlebird, western rufous	<i>Dasyornis broadbenti littoralis</i>	do	do	E	15	NA
Bulbul, <i>Mauritius olivaceus</i>	<i>Hypsipetes borbonicus olivaceus</i>	Indian Ocean—Mauritius	do	E	3	NA
Bullfinch, Sao Miguel (finch)	<i>Pyrrhula pyrrhula murina</i>	Eastern Atlantic Ocean—Azores	do	E	571	NA
Bushshrike, Uluguru	<i>Malacocichla alius</i>	Tanzania	do	T	3	NA
Bushshrike, New Zealand	<i>Xenicus longipes</i>	New Zealand	do	E	3	NA
Bustard, great Indian	<i>Ardeotis</i> (= <i>Choriolis</i>) <i>nigriceps</i>	India, Pakistan	do	E	3	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Cahow	Pterodroma cahow	North Atlantic Ocean—Bermuda	do	NA
Capercaille, Cantabrian	Tetrao urogallus cantabricus	U.S.A. (AZ, FL, LA, NM, TX) south to Panama; Cuba.	U.S.A. (FL)	NA
Caracara, Audubon's crested	Polyborus plancus auduboni	Bolivia, Peru	Entire	NA
Cinclodes, royal	Cinclodes aricomae	Philippines	do	NA
Cockatoo, Philippine	Cacatua haematuropygia	Seram, Haruku, Saparia, and Ambon, Indonesia.	do	NA
Cockatoo, salmon-crested	Cacatua moluccensis	Indonesia	do	NA
Cockatoo, white	Cacatua alba	Indonesia and Timor-Leste (East Timor).	do	NA
Cockatoo, yellow-crested	Cacatua sulphurea	Colombia to Chile and Argentina (Baja California).	U.S.A. only, except where listed as an experimental population below.	NA
Condor, Andean	Vultur gryphus	U.S.A. (AZ, CA, OR), Mexico	U.S.A. (specific portions of Arizona, Nevada, and Utah). do	NA
Condor, California	Gymnogyps californianus	(Baja California).	do	NA
Do	do	U.S.A. (HI)	Entire	NA
Coot, Hawaiian	Fulica americana alai	Brazil	do	NA
Colunga, banded	Coturnix maculata	India	do	NA
Colunga, white-winged	Xiphophena atropurpurea	China (Tibet)	do	NA
Course, Jerdon's	Rhinoptilus bitorquatus	West Indies—Cuba	do	NA
Crane, black-necked	Grus nigricollis	Japan, Russia	do	NA
Crane, Cuba sandhill	Grus canadensis neoscotica	China, Japan, Korea, Russia	do	NA
Crane, hooded	Grus monacha	U.S.A. (MS)	do	NA
Crane, Japanese	Grus japonensis	C.I.S. (Siberia) to India, including Iran and China.	do	NA
Crane, Mississippi sandhill	Grus canadensis pulla	Mongolia	Entire, except where listed as an experimental population.	NA
Crane, Siberian white	Grus leucogeranus	Canada, U.S.A. (Rocky Mountains east to Carolinas), Mexico.	do	NA
Crane, white-naped	Grus vipio	U.S.A. (AL, AR, CO, FL, GA, ID, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, NM, OH, SC, TN, UT, VA, WI, WV, western half of WY).	Entire	NA
Crane, whooping	Grus americana	do	do	NA
Do	do	do	do	NA
Creeper, Hawaii	Oreomyztes mana	U.S.A. (HI)	Entire	NA
Creeper, Molokai	Paroreomyza flammula	do	do	NA
Creeper, Oahu	Paroreomyza maculata	do	do	NA
Crow, Hawaiian	Corvus hawaiiensis	Western Pacific Ocean USA (Guam, Rota).	do	NA
Crow, Mariana	Corvus tshudyi	U.S.A. (PR), Dominican Republic, Haiti.	do	NA
Crow, white-necked	Corvus leucognaphalus	Indian Ocean—Mauritius	do	NA
Cuckoo-shrike, Mauritius	Coquus typicus	Indian Ocean—Reunion	do	NA
Cuckoo-shrike, Reunion	Coquus nowtoni	Colombia, South America	do	NA
Curassow, blue-billed	Crax alberti	Brazil (Eastern)	do	NA
Curassow, razor-billed	Mitu mitu mitu	Brazil	do	NA
Curassow, red-billed	Crax blumenbachii	Brazil	do	NA

§ 17.11

50 CFR Ch. I (10–1–14 Edition)

Common name	Species	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Curassow, Trinidad white-headed ..	<i>Pipile pipile pipile</i>		West Indies—Trinidad	do	E	3	NA	NA
Curlew, Eskimo	<i>Numenius borealis</i>		Alaska and northern Canada to Argentina.	do	E	1,3	NA	NA
Curlew, slender-billed	<i>Numenius tenuirostris</i>		Southwest Pacific Ocean—New Caledonia.	do	E	783	NA	NA
Dove, cloven-feathered	<i>Drepanoptila holosecea</i>		West Indies—Grenada	do	E	3	NA	NA
Dove, Grenada gray-fronted	<i>Leptotila rufaxilla wellsi</i>		U.S.A. (HI)	do	E	3	NA	NA
Duck, Hawaiian	<i>Anas wyvilliana</i>		do	do	E	1	NA	NA
Duck, Layvan	<i>Anas laysanensis</i>		India	do	E	15	NA	NA
Duck, pink-headed	<i>Rhodonessa canophrys lacaea</i>		India	do	E	3	NA	NA
Duck, white-winged wood	<i>Cairina scutulata</i>		India, Malaysia, Indonesia, Thailand, Greenland and adjacent Atlantic islands.	do	E	15	NA	NA
Eagle, Greenland white-tailed	<i>Haliaeetus albicilla groenlandicus</i>		Mexico south to Argentina	do	E	15	NA	NA
Eagle, harpy	<i>Harpia harpyja</i>		Madagascar	do	E	571	NA	NA
Eagle, Madagascar sea	<i>Haliaeetus vociferoides</i>		Philippines	do	E	571	NA	NA
Eagle, Madagascar serpent	<i>Euriorchis astur</i>		Aquila heliaca adalberti	do	E	3	NA	NA
Eagle, Philippine	<i>Pithecophaea jefferyi</i>		Egret, Chinese	do	E	3	NA	NA
Eagle, Spanish imperial	<i>Aquila heliaca adalberti</i>		China, Korea	do	E	3	NA	NA
Egret, Chinese	<i>Egretta eulophotes</i>		U.S.A. (AK), Russia	do	T	503	17.95(b)	NA
Eider, Spectacled	<i>Somateria fischeri</i>		U.S.A. (AK) breeding population only).	do	T	616	17.95(b)	NA
Eider, Steller's	<i>Polyystic stelleri</i>		Entire	do	E	696	17.95(b)	NA
Elepaio, Oahu	<i>Chasiempis sandwichensis ibidis</i> (<i>Chasiempis sandwichensis gayi</i>). <i>Falco peregrinus peregrinus</i>		Europe, Eurasia south to Africa and Mideast.	do	E	15	NA	NA
Falcon, Eurasian peregrine	<i>Falco peregrinus peregrinus</i>		U.S.A. (AZ, NM, TX), Mexico, Guatemala.	do	E	216	NA	NA
Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>		do	do	XN	758	NA	NA
Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>		U.S.A. (AZ, NM)	do	E	1	NA	NA
Finch, Laysan (honeycreepers)	<i>Teleospiza cantans</i>		Entire	do	E	774	NA	NA
Finch, Nihoa (honeycreepers)	<i>Teleospiza ultima</i>		Brazil	do	E	do	do	do
Fire-eye, fringed-backed	<i>Pyrrholaena atria</i>		Argentina, Bolivia, Chile, and Peru.	do	E	3	NA	NA
Flamingo, Andean	<i>Phoenicoparrus andinus</i>		West Indies—Grenada	do	E	3	NA	NA
Flycatcher, Euler's	<i>Empidonax euleri johnstoni</i>		Indian Ocean—Seychelles	do	E	3	NA	NA
Flycatcher, Seychelles paradise	<i>Terpsiphone corvina</i>		U.S.A. (AZ, CA, CO, NM, NV, TX, UT), Mexico.	do	E	577	17.95(b)	NA
Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>		South Pacific Ocean—Tahiti	do	E	3	NA	NA
Flycatcher, Tahiti	<i>Pomareaa nigra</i>		Indian Ocean—Mauritius	do	E	571	NA	NA
Fody, Mauritius	<i>Foudia rubra</i>		Indian Ocean—Rodrigues Island (Mauritius).	do	E	571	NA	NA
Fody, Rodrigues	<i>Foudia flavicans</i>		Indian Ocean—Seychelles	do	E	3	NA	NA
Fody, Seychelles (weaver-finch)	<i>Foudia sechellarum</i>		Djibouti	do	E	571	NA	NA
Francolin, Djibouti	<i>Francolinus ochopeculus</i>							

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Frigatebird, Andrew's	East Indian Ocean	do	NA	NA
Gnatcatcher, coastal California	U.S.A. (CA), Mexico	do	17.41 (b)	17.41 (b)
Goose, Hawaiian	(H)	do	NA	NA
Goshawk, Christmas Island	Indian Ocean—Christmas Island	do	NA	NA
Goshawk, Queen Charlotte	That portion of British Columbia that includes Vancouver Island and its surrounding islands, the mainland coast west of the crest of the Coast Range and adjacent islands, and the Queen Charlotte Islands.	British Columbia, Canada	NA	NA
Grackle, slender-billed	Mexico	Entire	NA	NA
Grasswren, Eyrean (Ilycatcher)	Australia	do	NA	NA
Grebe, Alaloth	Madagascar	do	NA	NA
Grebe, Attlana	Guatemala	do	NA	NA
Grebe, Junin	Peru	do	NA	NA
Greenshank, Nordmann's	Russia, Japan, south to Malaysia, Borneo.	do	NA	NA
Ground-cuckoo, southeastern rufous-vented	Brazil	do	NA	NA
Guan, cauda	Colombia, South America	do	NA	NA
Guan, horned	Guatemala, Mexico	do	NA	NA
Guan, white-winged	Peru	do	NA	NA
Guineafowl, white-breasted	West Africa	do	NA	NA
Gull, Audouin's	Mediterranean Sea	do	NA	NA
Gull, relict	India, China	do	NA	NA
Hawk, Galapagos	Ecuador (Galapagos Islands)	do	NA	NA
Hawk, Hawaiian	U.S.A. (HI)	do	NA	NA
Hawk, Puerto Rican broad-winged	Buteo swainsoni	do	NA	NA
Hawk, Puerto Rican sharp-shinned	Buteo plagiatus brunnescens	do	NA	NA
Hermit, hook-billed (hummingbird)	Accipiter striatus dohrni	do	NA	NA
Hermit, Margaretta's	Ramphodon (=Glaucus) dohrni	do	NA	NA
Honeyeater, crested	Phaethornis malurus margaretae	do	NA	NA
Honeyeater, helmeted	Palmeria dolei	do	NA	NA
Hornbill, helmeted	Lichenostomus melanops cassidix (=Meliphaga c.)	Australia	NA	NA
Ibis, giant	Buceros (=Rhinoplax) vigil	Thailand, Malaysia	15	NA
Ibis, Japanese crested	Pseudibis gigantea	Cambodia, Lao PDR, Thailand, Vietnam.	760	NA
Ibis, northern bald	Nipponia nippon	China, Japan, Russia, Korea	3	NA
Kagu	Geronimus eremita	Southern Europe, southwestern Asia, northern Africa.	401	NA
Kakapo	Rhytchelos leucomelas	South Pacific Ocean—New Caledonia.	3	NA
Kestrel, Mauritius	Strigops habroptilus	New Zealand	3	NA
Kestrel, Seychelles	Falco punctatus	Indian Ocean—Mauritius	3	NA
Kingfisher, Guam Micronesian	Falco areaa	Indian Ocean—Seychelles Islands.	3	NA
Kite, Cuba hook-billed	Halcyon cinnamominia	Western Pacific Ocean USA (Guam).	156	NA
			West Indies—Cuba	3	NA

§ 17.11

50 CFR Ch. I (10-1-14 Edition)

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Paradise-flycatcher, caerulean	<i>Eutrichomyias rowleyi</i>	Indonesia	do	do	NA
Parakeet, blue-throated (=ochre-marked)	<i>Pyrrhura crenata</i>	Brazil	do	do	NA
Parakeet, Forbes'	<i>Cyanoramphus auriceps forbesi</i>	New Zealand	do	do	NA
Parakeet, golden	<i>Araatinga glariouba</i>	Brazil	do	do	NA
Parakeet, golden-shouldered	<i>Psittacula echo</i>	Australia	do	do	NA
Parakeet, Mauritius	<i>Cyanoramphus cookii</i>	Indian Ocean—Mauritius	do	do	NA
Parakeet, Norfolk Island	(=novaezelandiae c.)	Australia (Norfolk Island)	do	do	NA
Parakeet, orange-bellied	<i>Neophema chrysogaster</i>	Australia	do	do	NA
Parakeet, paradise	<i>Psephotus pulcherrimus</i>	Australia	do	do	NA
Parakeet, scarlet-chested	<i>Neophema splendens</i>	West Indies—Cuba, Bahamas, Caymans	do	do	NA
Parakeet, turquoise	<i>Neophema pulchella</i>	West Indies—Cuba, Bahamas, Caymans	do	do	NA
Parrot, Bahaman or Cuban	<i>Amazona leucocephala</i>	West Indies—Dominica	do	do	NA
Parrot, ground	<i>Pezoporus wallicus</i>	Australia	do	do	NA
Parrot, imperial	<i>Amazona imperialis</i>	Australia	do	do	NA
Parrot, right (=Australian)	<i>Geoffittacus occidentalis</i>	Australia	do	do	NA
Parrot, Puerto Rican	<i>Amazona vittata</i>	U.S.A. (PR)	do	do	NA
Parrot, red-browed	<i>Amazona rhodocorytha</i>	Brazil	do	do	NA
Parrot, red-capped	<i>Pionopsitta pileata</i>	West Indies—Dominica	do	do	NA
Parrot, red-necked	<i>Amazona arausiaca</i>	West Indies—Dominica	do	do	NA
Parrot, red-spectacled	<i>Amazona pretrei pretrei</i>	Brazil—Argentina	do	do	NA
Parrot, red-tailed	<i>Amazona brasiliensis</i>	Brazil	do	do	NA
Parrot, Seychelles lesser vasa	<i>Coracopsis nigra barklyi</i>	Indian Ocean—Seychelles (Praslin Island)	do	do	NA
Parrot, St. Vincent	<i>Amazona guildingii</i>	West Indies—St. Vincent	do	do	NA
Parrot, St. Lucia	<i>Amazona versicolor</i>	West Indies—St. Lucia	do	do	NA
Parrot, thick-billed	<i>Rhynchositta pachyrrhyncha</i>	Mexico, U.S.A. (AZ, NM)	Mexico	do	NA
Parrot, vinaceous-breasted	<i>Amazona vinacea</i>	Brazil	Entire	do	NA
Parrot, yellow-billed	<i>Amazona collaris</i>	Jamaica	U.S.A. (HI)	do	NA
Parrotbill, Maui (honeycreep)	<i>Pseudonestor xanthophrys</i>	Atlantic Ocean—South Africa, Namibia	do	do	NA
Penguin, African	<i>Spheniscus demersus</i>	New Zealand, Bounty Islands	do	do	NA
Penguin, erect-crested	<i>Eudyptes sclateri</i>	New Zealand, and Antipodes Islands	T	do	NA
Penguin, Fiordland crested	<i>Eudyptes pachyrhynchos</i>	New Zealand, South Island and offshore Islands	do	do	NA
Penguin, Galapagos	<i>Spheniscus mendiculus</i>	Ecuador (Galapagos Islands)	do	do	NA
Penguin, Humboldt	<i>Spheniscus humboldti</i>	Eastern Pacific Ocean—Chile, Peru	do	do	NA
Penguin, southern rockhopper	<i>Eudyptes chrysocome</i>	Southern Ocean, South Atlantic Ocean, South Pacific Ocean, Southern Indian Ocean	New Zealand—Australia distinct population segment, associated with the Campbell Plateau and Macquarie Island	do	NA
Penguin, white-flipped	<i>Eudyptula minor albesignata</i>	New Zealand, South Island	Entire	do	NA
Penguin, yellow-eyed	<i>Megadyptes antipodes</i>	New Zealand, South Island and offshore Islands	do	do	NA
Petrel, Chatham	<i>Pterodroma axillaris</i>	Pacific Ocean—New Zealand (Chatham Islands)	E	do	NA

§ 17.11

50 CFR Ch. I (10–1–14 Edition)

Common name	Species	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Petrel, Fiji	<i>Pseudobulweria macgillivrayi</i>	Pacific Ocean—Fiji (Gau Island)do.....	E	763	NA	NA
Petrel, Galapagos	<i>Pterodroma phaeopygia</i>	Pacific Ocean—Ecuador (Galápagos Islands), U.S.A. (HI)do.....	T	766	NA	NA
Petrel, Hawaiian dark-rumped	<i>Pterodroma sandwichensis</i>do.....	E	1	NA	NA
Petrel, Madeira	<i>Pterodroma madeira</i>	Atlantic Ocean—Madeira Islanddo.....	E	571	NA	NA
Petrel, magenta	<i>Pterodroma magnirostris</i>	Pacific Ocean—New Zealand (Chatham Islands), Indian Ocean—Mauritius (Réunion Island)do.....	E	763	NA	NA
Petrel, Mascarenne black	<i>Syrrhacus humiae</i>	Burma, Chinado.....	E	571	NA	NA
Pheasant, bar-tailed	<i>Tragopan blythii</i>	Chinado.....	E	3	NA	NA
Pheasant, Blyth's tragopan	<i>Crossoptilon mantchuricum</i>	India, Nepal, Pakistando.....	E	3	NA	NA
Pheasant, brown eared	<i>Tragopan caboti</i>do.....do.....	E	3	NA	NA
Pheasant, Cabot's tragopan	<i>Catreus wallichii</i>do.....do.....	E	401	NA	NA
Pheasant, cheer	<i>Lophophorus huysii</i>do.....do.....	E	3	NA	NA
Pheasant, Chinese monal	<i>Lophura edwardsi</i>	Vietnamdo.....	E	3	NA	NA
Pheasant, Edwards'	<i>Syrmaticus ellioti</i>	Chinado.....	E	15	NA	NA
Pheasant, Elliot's	<i>Lophura imperialis</i>	Vietnamdo.....	E	3	NA	NA
Pheasant, imperial	<i>Syrmaticus mikado</i>	Taiwando.....	E	3	NA	NA
Pheasant, Mikado	<i>Polyplectron emphanum</i>	Philippinesdo.....	E	3	NA	NA
Pheasant, Palawan peacock	<i>Lophophorus sclateri</i>	Burma, China, Indiado.....	E	3	NA	NA
Pheasant, Solater's monal	<i>Lophophorus swinhonis</i>	Taiwando.....	E	3	NA	NA
Pheasant, Swinhoe's	<i>Crossoptilon crossoptilon</i>	India (Tibet), Indiado.....	E	4	NA	NA
Pheasant, western tragopan	<i>Tragopan melanocephalus</i>	East Atlantic Ocean—Azoresdo.....	E	3	NA	NA
Pheasant, white eared	<i>Columba palumbus azonica</i>	New Zealanddo.....	E	3	NA	NA
Pigeon, Azores wood	<i>Hemiphaga novaeseelandiae chathamensis</i>	French Polynesiado.....	E	783	NA	NA
Pigeon, Chatham Island	<i>Ducula galeata</i>	Philippinesdo.....	E	15	NA	NA
Pigeon, Marquesan imperial	<i>Ducula mindorensis</i>	Indian Ocean—Mauritiusdo.....	E	571	NA	NA
Pigeon, Mindoro imperial (=zonetailed)	<i>Columba mayreni</i>	U.S.A. (PR)do.....	E	2	NA	NA
Pigeon, pink	<i>Columba inornata weimorei</i>	Atlantic Ocean—Canary Islandsdo.....	T	571	NA	NA
Pigeon, Puerto Rican plain	<i>Columba junoniae</i>	Argentinado.....	E	15	NA	NA
Pigeon, white-tailed taurel	<i>Pipile jacutinga</i>	Myanmar, Thailanddo.....	E	760	NA	NA
Piping-guan, black-fronted	<i>Pitta gurneyi</i>	Philippinesdo.....	E	15	NA	NA
Pitta, Gurney's	<i>Pitta kochii</i>	Perudo.....	E	799	NA	NA
Plantcutter, Peruvian	<i>Phytotoma raimondii</i>	New Zealanddo.....	E	3	NA	NA
Plover, New Zealand shore	<i>Thrinax novaeseelandiae</i>	U.S.A. (Great Lakes, northern Great Plains, Atlantic and Gulf Coasts, PR, VI, Canada, Mexico, WI and Canada (Ont.).do.....	E	211	NA	NA
Plover, piping	<i>Charadrius melanotos</i>	Great Lakes, northern Great Lakes, watershed in States of IL, IN, MI, MN, NY, OH, PA, and WI and Canada (Ont.).do.....	E	17.9(b)		

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Plover, piping	<i>Charadrius melanotos</i>	U.S.A. (Great Lakes, northern Great Plains, Atlantic and Gulf Coasts, PR, VI, Canada, Mexico, Bahamas, West Indies).	Entire, except those areas where listed as endangered above.	NA
Plover, western snowy (Pacific Coast population DPS),	<i>Charadrius nivosus nivosus</i>	Pacific Coast population DPS—U.S.A. (CA, OR, WA), Mexico.	Pacific Coast population DPS—U.S.A. (CA, OR, WA), Mexico (within 50 miles of Pacific coast).	NA
Pochard, Madagascar	<i>Aythya innotata</i>	Madagascar	Entire	NA
Po'ouli (honeycreeper)	<i>Melamprosops phaeosoma</i>	U.S.A. (HI)	do	NA
Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>	U.S.A. (TX)	do	NA
Puffleg, black-breasted	<i>Tympanuchus pallidicinctus</i>	U.S.A. (CO, KS, NM, OK, TX)	do	17.4(f)
Quail, Mearns's Montezuma	<i>Ornithodoris agrestis</i>	Ecuador, South America	do	NA
Quetzal, resplendent	<i>Cyanonyx montezumae merriami</i>	Mexico (Vera Cruz)	do	NA
Rail, Aukland Island	<i>Phanomachus mocoina</i>	Mexico to Panama	do	NA
Rail, California clapper	<i>Rallus pectoralis obsoletus</i>	New Zealand	do	NA
Rail, Guam	<i>Rallus longirostris leucostigma</i>	U.S.A. (CA)	do	NA
Do	do	Western Pacific Ocean—U.S.A. (Guam).	Entire, except Rota	NA
Rail, Junin	<i>Laterallus tueresi</i>	Peru	Rota	17.4(f)
Rail, light-footed clapper	<i>Rallus longirostris leucostigma</i>	U.S.A. (CA), Mexico (Baja California).	Entire	NA
Rail, Lord Howe wood	<i>Gallirallus syvestris</i>	Australia (Lord Howe Island)	Entire	NA
Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	Mexico, U.S.A. (AZ, CA)	U.S.A. only	NA
Rhea, lesser (incl. Darwin's)	<i>Rhea (=Pterocnemia) pennata</i>	Argentina, Bolivia, Peru, Uruguay	Entire	1
Robin, Chatham Island	<i>Petroica traversi</i>	New Zealand	do	NA
Robin, double-crested mountain	<i>Acanthorhynchus tenuirostris</i>	Mozambique, Tanzania	do	NA
Robin, scarlet-breasted (flycatcher)	<i>Petroica multicolor multicolor</i>	Australia (Norfolk Island)	do	NA
Rocktowl, grey-necked	<i>Picathartes oreas</i>	Cameroun, Gabon	do	NA
Rocktowl, white-necked	<i>Picathartes gymnocephalus</i>	Africa—Togo to Sierra Leone	do	NA
Roller, long-tailed ground	<i>Uratelomus chimaera</i>	Madagascar	do	NA
Scrub-bird, noisy	<i>Atrichornis clamosus</i>	(=Madagascar).	do	NA
Scrub-jay, Florida	<i>Aphelocoma coerulescens</i>	Australia	do	NA
Shama, Cebu black (thrush)	<i>Copsychus niger cebuensis</i>	U.S.A. (FL)	do	NA
Shearwater, Heinroth's	<i>Puffinus heinrothi</i>	Philippines	do	NA
Shearwater, Newell's Townsend's Shrike, San Clemente loggerhead Siskin, red	<i>Puffinus auricularis newelli</i>	New Guinea (Bougainville Island), Solomon Islands (Kolombangara and Rendova).	do	NA
Sparrow, Cape Sable seaside Sparrow, Florida grasshopper	<i>Lanius ludovicianus mearnsi</i>	U.S.A. (HI)	do	NA
Sparrow, San Clemente sage	<i>Carodacus cucullata</i>	U.S.A. (CA)	do	NA
Sparrowhawk, Anjouan Island	<i>Ammodramus maritimus mirabilis savannarum floridanus</i> .	South America	do	17.4(b)
Accipiter francésii pusillus	<i>Amphispiza belli clementae</i>	U.S.A. (CA)	do	NA
		Indian Ocean—Comoro Islands ..	do	NA

§ 17.11

50 CFR Ch. I (10–1–14 Edition)

Common name	Species	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Starling, Ponape mountain	<i>Aplonis pelzelni</i>	West Pacific Ocean—Federated States of Micronesia.	do	E	3	NA	NA
Starling, Rothschild's (myna)	<i>Leucosticte rothschildii</i>	Indonesia (Bali)	do	E	3	NA	NA
Stilt, black	<i>Himantopus novaezelandiae</i>	New Zealand	do	E	760	NA	NA
Stilt, Hawaiian	<i>Himantopus mexicanus</i> (= <i>Himantopus knudseni</i>)	U.S.A. (HI)	do	E	2	NA	NA
Stork, oriental white	<i>Ciconia boyciana</i> (= <i>ciconia b.</i>)	China, Japan, Korea, Russia	do	E	142, 837	NA	NA
Stork, wood	<i>Mycerobius americana</i>	U.S.A. (CA, AZ, TX, to Carolinas), Mexico, C. and S. America.	U.S.A. (AL, FL, GA, MS, NC, SC), Entire	E	3	NA	NA
Sunbird, Marungu	<i>Nectarinia prigoginei</i>	Zaire	do	E	571	NA	NA
Swiftlet, Mariana gray	<i>Aerodramus vanikorensis</i>	Western Pacific Ocean—U.S.A. (Guam, Rota, Tinian, Saipan, Agiguan).	do	E	156	NA	NA
Tanager, cherry-throated	<i>Nemosia rourei</i>	Brazil	do	E	774	NA	NA
Teal, Campbell Island flightless	<i>Anas aucklandica notabilis</i>	New Zealand (Campbell Island)	do	E	15	NA	NA
Tern, California least	<i>Sterna antillarum browni</i>	Mexico, U.S.A. (CA)	do	E	2, 3	NA	NA
Tern, least	<i>Sterna antillarum</i>	U.S.A. (Atlantic and Gulf coasts, Miss. R. Basin, CA), Greater and Lesser Antilles, Bahamas, Mexico; winters Central America, northern South America.	U.S.A. (AR, CO, IA, IL, IN, KS, KY, LA—Miss. R. and trib., N of Baton Rouge, MS—Miss. R., MO, MT, ND, NE, NM, OK, SD, TN, TX—except within 50 miles of coast).	E	182	NA	NA
Tern, roseate	<i>Sterna dougallii dougallii</i>	Tropical and temperate coasts of Atlantic Basin and East Africa.	U.S.A. (Atlantic Coast south to Western Hemisphere and adjacent oceans, incl. U.S.A. (FL, PR, VI), where not listed as endangered).	E	296	NA	NA
Do	do	do	Entire	E	296	NA	NA
Thick-tailed long-legged Thrasher, white-breasted	<i>Trichocichla rufa</i>	Fiji	do	E	760	NA	NA
Thrush, large Kauai	<i>Ramphocinclus brachyurus</i>	West Indies—St. Lucia, Martinique.	do	E	3	NA	NA
Thrush, Molokai	<i>Myadestes myadestinus</i>	U.S.A. (HI)	do	E	2	NA	NA
Thrush, New Zealand (wattlebird)	<i>Myadestes lanaiensis rufa</i>	New Zealand	do	E	2	NA	NA
Thrush, small Kauai	<i>Turnagra capensis</i>	U.S.A. (HI)	do	E	3	NA	NA
Thrush, St. Lucia forest	<i>Myadestes palmeri</i>	Cichlaminia <i>herminieri</i>	do	E	1	NA	NA
Thrush, Taita	<i>Chichlaminia sancta luciae</i>	West Indies—St. Lucia	do	E	1	NA	NA
Tinamou, solitary	<i>Turdus olivaceocephalus helleri</i>	Kenya	do	E	571	NA	NA
Tit-spinetail, white-browed	<i>Tinamus solitarius</i>	Brazil, Paraguay, Argentina	do	E	15	NA	NA
Tit-tyrant, ash-breasted	<i>Lepidothrix xenothorax</i>	Peru	do	E	799	NA	NA
Tody-tyrant, Kaempfer's	<i>Anairetes alpinus</i>	Bolivia, Peru	do	E	799	NA	NA
Towhee, Inyo California	<i>Hemimacca kempferi</i>	Brazil	do	E	774	NA	NA
Tree-finches, medium	<i>Pipilo crissalis erythropthalmus</i>	U.S.A. (CA)	do	E	282	NA	NA
	<i>Camptorhynchus pauper</i>	Ecuador (Galapagos Islands)	do	E	17.95(b)	NA	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Trembler, Martinique (thrasher)	<i>Cinclocerthia ruficauda gutturalis</i>	West Indies—Martinique	do	NA
Turaco, Bannerman's	<i>Tauraco bannermani</i>	Cameroon	do	NA
Turtle-dove, Seychelles	<i>Streptopelia pictoria rostrata</i>	Indian Ocean—Seychelles	do	NA
Vanga, Polien's	<i>Xenopirostris polienii</i>	Madagascar	do	NA
Vanga, Van Dam's	<i>Xenopirostris damii</i>	do	do	NA
Vireo, black-capped	<i>Vireo atricapillus</i>	U.S.A. (KS, LA, NE, OK, TX), Mexico	do	NA
Vireo, least Bell's	<i>Vireo bellii pusillus</i>	U.S.A. (CA), Mexico	do	NA
Wanderer, plain (collared-hemipode), Warbler, Aldabra (old world warbler). Warbler (wood), Bachman's	<i>Pedionomus torquatus</i>	Australia	do	NA
Warbler, Aldabra (old world warbler). Warbler (wood), Bachman's	<i>Nesillas aldebaranus</i>	Indian Ocean—Seychelles	do	NA
Warbler (wood), Barbados yellow	<i>Vermivora bachmani</i>	(Aldabra (Island)). U.S.A. (Southeastern), Cuba	do	NA
Warbler (wood), golden-cheeked	<i>Dendroica petechia petechia</i>	West Indies—Barbados	do	NA
Warbler (wood), Kirtland's	<i>Dendroica chrysoparia</i>	U.S.A. (TX), Mexico, Guatemala, Honduras, Nicaragua, Belize	do	NA
Warbler, Eiao Marquesas reed-warbler, nightingale reed, (old world warbler). Warbler, Rodrigues (old world warbler)	<i>Setophaga kirtlandii</i> (=Dendroica kirtlandii)	U.S.A. (principally MI), Canada, West Indies—Bahama Islands	do	NA
Warbler, Eiao Marquesas reed-warbler, nightingale reed, (old world warbler). Warbler, Rodrigues (old world warbler)	<i>Acrocephalus percens aquilonis</i>	West Pacific Ocean—U.S.A. (Guam, Alamagan, Saipan). Mauritius (Rodrigues Islands)	do	NA
Warbler, Semper's	<i>Acrocephalus luscina</i>	West Indies—St. Lucia	do	NA
Warbler, Seychelles (old world warbler). Wattie-eye, banded	<i>Bebrornis sechellensis</i>	Indian Ocean—Seychelles Island	do	NA
Weaver, Clarke's	<i>Platysteira latincincta</i>	Cameroun	do	NA
Whipbird, western White-eye, bridled	<i>Ploceus galbula</i>	Kenya	do	NA
White-eye, Norfolk Island	<i>Psophodes nigrogularis</i>	Australia	do	NA
White-eye, bridled	<i>Zosterops conspicillatus</i>	Western Pacific Ocean—U.S.A. (Guam).	do	NA
White-eye, Norfolk Island	<i>Zosterops albogularis</i>	Indian Ocean—Norfolk Islands	do	NA
White-eye, Portape greater	<i>Zosterops longirostris</i>	West Pacific Ocean—Federated States of Micronesia.	do	NA
White-eye, Rota bridled	<i>Zosterops rotensis</i>	Western Pacific Ocean—U.S.A. (Commonwealth of the North, Marianas Islands).	do	NA
White-eye, Seychelles	<i>Zosterops modestus</i>	Indian Ocean—Seychelles	do	NA
Woodpecker, imperial	<i>Campetherus imperialis</i>	Mexico	do	NA
Woodpecker, ivory-billed	<i>Campetherus principalis</i>	U.S.A. (southeastern and south-eastern), Cuba.	do	NA
Woodpecker, red-cockaded	<i>Picoides borealis</i>	U.S.A. (southeastern and south-eastern).	do	NA
Woodpecker, Tristam's	<i>Dryocopuss lavensis richardsi</i>	Korea	do	NA
Wood-quail, gorgeted	<i>Odontophorus strigatus</i>	Colombia, South America	do	NA
Woodstar, Chilean	<i>Eulicta yayra</i>	Chile and Peru	do	NA
Woodstar, Emeraldas	<i>Chalcostigmar berlepschi</i>	Ecuador, South America	do	NA
Wren, Guadeloupe house	<i>Troglodytes aedon guadeloupensis</i>	West Indies—Guadeloupe	do	NA
Wren, St. Lucia house	<i>Troglodytes aedon mesoleucus</i> ..	West Indies—St. Lucia	do	NA

§ 17.11

50 CFR Ch. I (10-1-14 Edition)

Common name	Species	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
REPTILES				T(S/A)	1, 11, 20, 51, 60, 113, 134, 186, 269	NA	17.42(a)
Alligator, American	<i>Alligator mississippiensis</i>	Southeastern U.S.A.	Entire	E	15	NA	NA
Alligator, Chinese	<i>Alligator sinensis</i>	China	do	E	25	NA	NA
Anole, Cuban Island giant	<i>Anolis roosevelti</i>	U.S.A. (PR—Culebra Island)	do	E	3	NA	NA
Boa, Jamaican	<i>Epicrates subflavus</i>	Jamaica	do	T	33	NA	NA
Boa, Mona	<i>Epicrates monensis monensis</i>	U.S.A. (PR)	do	E	2	NA	NA
Boa, Puerto Rican [unnamed]	<i>Epicrates inornatus</i>	do	do	E	88	NA	NA
Boa, Round Island [unnamed]	<i>Bolitoglossa multicolorinata</i>	Indian Ocean—Mauritius	do	E	88	NA	NA
Do	<i>Casarea dussumieri</i>	do	do	E	2, 86	NA	NA
Boa, Virgin Islands tree	<i>Epicrates trinitatis graniti</i>	U.S.A. (PR), British Virgin Islands	do	E	15	NA	NA
Caiman, Aparo River	<i>Caiman crocodilus apapensis</i>	Colombia	do	E	15	NA	NA
Caiman, black	<i>Melanosuchus niger</i>	Amazon basin	do	E	15	NA	NA
Caiman, broad-snouted	<i>Caiman latirostris</i>	Argentina, Bolivia, Brazil, Paraguay, Uruguay	do	T	790	NA	17.42(c)
Caiman, brown	<i>Caiman crocodilus fuscus</i> (In- clides) <i>Caiman crocodilus chlapowskii</i>	Mexico, Central America, Colombia	Entire	T(S/A)	695	NA	17.42(c)
Caiman, common	<i>Caiman crocodilus crocodilus</i>	Bolivia, Brazil, Colombia, Ecuador, French Guiana, Guyana, Peru, Suriname, Venezuela	do	T(S/A)	695	NA	17.42(c)
Caiman, yacare	<i>Caiman yacare</i>	Argentina, Bolivia, Brazil, Paraguay	do	T	3, 695	NA	17.42(c)
Chuckwalla, San Esteban Island	<i>Sauromalus varius</i>	Mexico	do	E	88	NA	NA
Crocodile, African dwarf	<i>Osteolaemus tetraspis tetraspis</i>	West Africa	do	E	15, 15A	NA	NA
Crocodile, African slender-snouted	<i>Crocodylus cataphractus</i>	Western and central Africa	do	E	5	NA	NA
Crocodile, American	<i>Crocodylus acutus</i>	U.S.A. (FL), Mexico, Caribbean, Central and South America	Entire, except in U.S.A. (FL)	E	87	NA	NA
Do	<i>Crocodylus acutus</i>	do	do	U.S.A. (FL)	10	17.95(c)	NA
Crocodile, American	<i>Crocodylus acutus</i>	Central America	Entire	E	10, 87	17.95(c)	NA
Crocodile, Ceylon mugger	<i>Crocodylus palustris kimbula</i>	Sri Lanka	do	E	15	NA	NA
Crocodile, Congo dwarf	<i>Osteolaemus tetraspis osborni</i>	Congo R. drainage	do	E	15	NA	NA
Crocodile, Cuban	<i>Crocodylus rhombifer</i>	Cuba	do	E	3	NA	NA
Crocodile, mugger	<i>Crocodylus palustris palustris</i>	India, Pakistan, Iran, Bangladesh	do	E	15	NA	NA
Crocodile, Nile	<i>Crocodylus niloticus</i>	Africa, Middle East	do	T	3, 279, 334,	17.42(c)	NA
Crocodile, Oinoco	<i>Crocodylus intermedius</i>	South America—Orinoco basin	do	E	514, 585	NA	NA
Crocodile, Philippine	<i>Crocodylus mindorensis</i>	Philippine Islands	do	E	3	NA	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Crocodile, saltwater	<i>Crocodylus porosus</i>	Southeast Asia; Australia; Papua New Guinea; Islands of the West Pacific Ocean.	Entire, except Papua New Guinea and Australia.	NA	NA
Do <i>do</i>do	Australia	17.42(c) NA	NA
Crocodile, Siamese	<i>Crocodylus siamensis</i>	Southeast Asia; Malay Peninsula	Entire	NA	NA
Gartersnake, narrow-headed	<i>Thamnophis rufipunctatus</i>	U.S.A. (AZ, NM)	do	NA	NA
Gartersnake, northern Mexican	<i>Thamnophis eques megalops</i>	U.S.A. (AZ, NM); Mexico	do	17.42(g) NA	NA
Gavial	<i>Gavialis gangeticus</i>	Pakistan; Burma; Bangladesh; India, Nepal.	do	NA	NA
Gecko, day	<i>Phelsuma edwardbrowni</i>	Indian Ocean—Mauritius	do	NA	NA
Gecko, Monito	<i>Sphaerodactylus microcephalus</i>	U.S.A. (PR)	do	NA	NA
Gecko, Round Island day	<i>Phelsuma guentheri</i>	Indian Ocean—Mauritius	do	NA	NA
Gecko, Serpent Island	<i>Cyrtodactylus serpensinsula</i>	do	do	NA	NA
Iguana, Ackins ground	<i>Cyclura nileyi nuchalis</i>	West Indies—Bahamas	do	NA	NA
Iguana, Allen's Cay	<i>Cyclura cyclura ornata</i>	do	do	NA	NA
Iguana, Andros Island ground	<i>Cyclura cyclura cyclura</i>	do	do	NA	NA
Iguana, Aneagua ground	<i>Cyclura pinguis</i>	West Indies—British Virgin Islands (Anegada Island)	do	NA	NA
Iguana, Barrington land	<i>Conolophus pallidus</i>	Ecuador (Galapagos Islands)	do	NA	NA
Iguana, Cayman Brac ground	<i>Cyclura nubila caymanensis</i>	West Indies—Cayman Islands	do	NA	NA
Iguana, Cuban ground	<i>Cyclura nubila nubila</i>	Cuba	do	NA	NA
Iguana, Exuma Island	<i>Cyclura cyclura figginsi</i>	West Indies—Bahamas	do	NA	NA
Iguana, Fiji banded	<i>Brachylophus fasciatus</i>	Pacific—Fiji, Tonga	do	NA	NA
Iguana, Fiji crested	<i>Brachylophus vitiensis</i>	West Indies—Cayman Islands	do	NA	NA
Iguana, Grand Cayman ground	<i>Cyclura collei</i>	West Indies—Jamaica	do	NA	NA
Iguana, Jamaican	<i>Cyclura carinata bartschi</i>	West Indies—Bahamas	do	NA	NA
Iguana, Mayaguana	<i>Cyclura stejnegeri</i>	U.S.A. (PR—Mona Island)	do	NA	NA
Iguana, Mona ground	<i>Cyclura carinata carinata</i>	West Indies—Turks and Caicos Islands	do	NA	NA
Iguana, Tufts and Caicos	<i>Cyclura nileyi nileyi</i>	West Indies—Bahamas	do	NA	NA
Iguana, Waiting Island ground	<i>Cyclura nileyi cristata</i>	do	do	NA	NA
Iguana, White Cay ground	<i>Gambelia silus</i>	U.S.A. (CA)	do	NA	NA
Lizard, blunt-nosed leopard	<i>Uma inornata</i>	do	do	17.95(c) NA	NA
Lizard, Coachella Valley fringe-toed	<i>Gallotia simonyi simonyi</i>	Spain (Canary Islands)	do	NA	NA
Lizard, Hierro giant	<i>Podarcis pityusensis</i>	Spain (Balearic Islands)	do	NA	NA
Lizard, Ibiza wall	<i>Cnemidophorus vanzoi</i>	West Indies—St. Lucia (Maria Islands).	do	NA	NA
Lizard, Maria Island ground	<i>Amoiva polops</i>	U.S.A. (VI)	do	17.95(c) NA	NA
Lizard, St. Croix ground	<i>Varanus griseus</i>	North Africa to Aral Sea, through Central Asia to Pakistan, Northwest India.	do	NA	NA
Monitor, desert	<i>Varanus bengalensis</i>	Iran, Iraq, India, Sri Lanka, Malaysia, Afghanistan, Burma, Vietnam, Thailand.	do	NA	NA
Monitor, Komodo Island	<i>Varanus komodoensis</i>	Indonesia (Komodo, Rintja, Padar, and western Flores island),	do	NA	NA

§ 17.11

50 CFR Ch. I (10–1–14 Edition)

	Species	Common name	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
		Monitor, yellow	<i>Varanus flavescens</i>	West Pakistan through India to Bangladesh.do	E	15	NA	NA
		Python, Indian	<i>Python molurus molurus</i>	Sri Lanka and Indiado	E	15	NA	NA
		Rattlesnake, Aruba Island	<i>Crotalus unicolor</i>	Aruba Island (Netherlands Antilles).do	T	129	NA	NA
		Rattlesnakes, New Mexican ridge-nosed.	<i>Crotalus willardi obscurus</i>	U.S.A. (AZ, NM), Mexicodo	T	43	17.95(c)	NA
		Sea turtle, green	<i>Chelonia mydas</i>	Circumglobal in tropical and temperate seas and oceans.	Breeding colony populations in FL and on Pacific coast of Mexico.	E	42	226.208	224.104
		dodo	Entire species, except when listed as endangered under 50 CFR 224.101.	T	42	226.208	17.42(b), 223.205, 223.206,
		Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	Tropical seas	Entire	E	3	17.95(c), 226.209	223.207
		Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	Tropical and temperate seas in Atlantic Basin, incl. Gulf of Mexico.do	E	4	NA	224.104
		Sea turtle, leatherback	<i>Dermochelys coriacea</i>	Tropical, temperate, and subpolar seas.do	E	3	17.95(c), 226.207	224.104
		Sea turtle, loggerhead (Mediterranean Sea DPS).	<i>Caretta caretta</i>	Mediterranean Sea Basin	Loggerhead sea turtles originating from the Mediterranean Sea east of 5°36' W. Long.	E	794	NA	224.104
		Sea turtle, loggerhead (North Indian Ocean DPS).do	North Indian Ocean Basin	Loggerhead sea turtles originating from the North Indian Ocean north of the equator and south of 30° N. Lat.	E	794	NA	224.104
		Sea turtle, loggerhead (North Pacific Ocean DPS).do	North Pacific Ocean Basin	Loggerhead sea turtles originating from the North Pacific north of the equator and south of 60° N. Lat.	E	794	NA	224.104
		Sea turtle, loggerhead (Northeast Atlantic Ocean DPS).do	Northeast Atlantic Ocean Basin ..	Loggerhead sea turtles originating from the Northeast Atlantic Ocean north of the equator, south of 60° N. Lat., and east of 40° W. Long., except in the vicinity of the Strait of Gibraltar where the eastern boundary is 5°36' W. Long.	E	794	NA	224.104
		Sea turtle, loggerhead (Northwest Atlantic Ocean DPS).do	Northwest Atlantic Ocean Basin ..	Loggerhead sea turtles originating from the Northwest Atlantic Ocean north of the equator, south of 60° N. Lat., and west of 40° W. Long.	T	794	17.95(c), 223.205, 223.206, 223.207	226.223

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Sea turtle, loggerhead (South Atlantic Ocean DPS).do	South Atlantic Ocean Basin	T	794	NA	223.205, 223.206, 223.207
Sea turtle, loggerhead (South Pacific Ocean DPS).do	South Pacific Ocean Basin	E	794	NA	224.104
Sea turtle, loggerhead (Southeast Indo-Pacific Ocean DPS).do	Southeast Indian Ocean Basin; South Pacific Ocean Basin as far east as 141° E. Long.	T	794	NA	223.205, 223.206, 223.207
Sea turtle, loggerhead (Southwest Indian Ocean DPS).do	Southwest Indian Ocean Basin	T	794	NA	223.205, 223.206, 223.207
Sea turtle, olive ridleydo	Lepidochelys olivacea	E	42	NA	224.104
Sea turtle, olive ridleydo	Circumglobal in tropical and temperate seas. do	T	42	NA	17.42(b), 223.205, 223.206,
Skink, bluetail moledo	Eumeces eugratus lvidus	T	299	NA	223.207
Skink, Round Islanddo	Leiocephala tefain	T	129	NA	17.42(d)
Skink, sanddo	Neoseps leynoldsi	T	299	NA	17.42(d)
Snake, Atlantic salt marshdo	Nerodia clarkii tigrina	T	30	NA	NA
Snake, copperbelly waterdo	Nerodia erythrogaster neglecta	T	607	NA	NA
Snake, eastern indigodo	Drymarchon corais couperi	T	32	NA	NA
Snake, giant garterdo	Thamnophis gigas	T	522	NA	NA
Snake, Maria Islanddo	Liopholis ornatus	E	443	NA	NA
Snake, San Francisco garterdo	Thamnophis sirtalis tetrataenia	E	1	NA	NA
Tartarugado	Podocnemis expansa	E	1	NA	NA
Terapin, riverdo	Batagur baska	E	3	NA	NA
Tomistomado	Tomistoma schlegelii	E	15	NA	NA
Tortoise, angulateddo	Geochelone yniphora	E	15	NA	NA
Tortoise, Bolsondo	Gopherus flavomarginatus	E	46	NA	NA

§ 17.11

50 CFR Ch. I (10–1–14 Edition)

Common name	Species	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A. (AZ, CA, NV, UT), Mexico	Entire, except AZ south and east of Colorado R., and Mexico.	T	103, 357E, 378	17.95(c) NA	NA	NA
Dododo	AZ south and east of Colorado R., and Mexico, when found outside of Mexico or said range in AZ.	T(S/A)	378	NA	17.42(e)	
Tortoise, Galapagos	<i>Geochelone nigra</i> (<i>elephantopus</i>). <i>Gopherus polyphemus</i>	U.S.A. (AL, FL, GA, LA, MS, SC)	Wherever found west of Mobile and Tombigbee Rivers in AL, MS, and LA.	E	3	NA	NA	NA
Tortoise, gopherdodo	Entire	E	281	NA	NA	NA
Tortoise, Madagascar radiated	<i>Geochelone radiata</i>	Malagasy Republic	Wherever found west of Mobile and Tombigbee Rivers in AL, MS, and LA.	E	3	NA	NA	NA
Tracaja	<i>Podocnemis unifilis</i>	(=Madagascar). South America—Orinoco R. and Amazon R. basins.	Entire	E	3	NA	NA	NA
Tuatara	<i>Sphenodon punctatus</i>	New Zealand	do	E	3, 630	NA	NA	NA
Tuatara, Brother's Island	<i>Sphenodon guntheri</i>	New Zealand (N. Brother's Island).	do	E	3, 630	NA	NA	NA
Turtle, Alabama redbelly	<i>Pseudemys alabamensis</i>	U.S.A. (AL)	do	E	278	NA	NA	NA
Turtle, aquatic box	<i>Terrapene coahuila</i>	Mexico	do	E	6	NA	NA	NA
Turtle, black softshell	<i>Trionyx nigricans</i>	Bangladesh	do	E	15	NA	NA	NA
Turtle, bog (Mühlenberg)	<i>Clemmys muhlenbergii</i>	U.S.A. (CT, DE, GA, MA, MD, NC, NJ, NY, PA, SC, TN, VA).	Entire, except GA, NC, SC, TN, VA.	T	626	NA	NA	NA
Dododo	do	T(S/A)	626	NA	17.42(f)	
Turtle, Brazilian sideneck	<i>Phrynops hogei</i>	U.S.A. (GA, NC, SC, TN, VA)	Entire	E	443	NA	NA	NA
Turtle, Burmese peacock	<i>Morenia ocellata</i>	Burma	do	E	15	NA	NA	NA
Turtle, Cat Island	<i>Trachemys terrapen</i>	West Indies—Jamaica, Bahamas	Entire	E	443	NA	NA	NA
Turtle, Central American river	<i>Dematemys mawii</i>	Mexico, Belize, Guatemala	do	E	129	NA	NA	NA
Turtle, Cuatro Ciénegas softshell	<i>Trionyx ater</i>	Mexico	do	E	15	NA	NA	NA
Turtle, flattened musk	<i>Sternotherus depressus</i>	U.S.A. (AL)	Black Warrior R. system upstream from Bankhead Dam.	T	272	NA	NA	NA
Turtle, geometric	<i>Psammobates geometricus</i>	South Africa	Entire	E	15	NA	NA	NA
Turtle, Inagua island	<i>Trachemys stejnegeri maloneyi</i>	West Indies—Bahamas (Great Inagua Island).	do	E	443	NA	NA	NA
Turtle, Indian sawback	<i>Kachugia tecta tecta</i>	India	do	E	15	NA	NA	NA
Turtle, Indian softshell	<i>Trionyx gangeticus</i>	Pakistan, India	do	E	15	NA	NA	NA
Turtle, peacock softshell	<i>Trionyx burum</i>	India, Bangladesh	do	E	15	NA	NA	NA
Turtle, Plymouth redbelly	<i>Pseudemys rubriventris bangsi</i>	U.S.A. (MA)	do	E	90	17.95(c)	NA	NA
Turtle, ringed map	<i>Granielmyers oculifera</i>	U.S.A. (LA, MS)	do	T	250	NA	NA	NA
Turtle, short-necked or western swamp.	<i>Pseudemys duryi umbrina</i>	Australia	do	E	3	NA	NA	NA
Turtle, South American red-lined	<i>Trachemys scripta calirostris</i>	Colombia, Venezuela	do	E	443	NA	NA	NA
Turtle, spotted pond	<i>Geoclemys hamiltonii</i>	North India, Pakistan	do	E	15	NA	NA	NA
Turtle, three-keeled Asian	<i>Melanochelys tricarinata</i>	Burma	do	E	15	NA	NA	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

§ 17.11

50 CFR Ch. I (10–1–14 Edition)

Common name	Species	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Salamander, Texas blind toad, arroyo (=arroyo southwestern)	<i>Typhlonotus rathbuni</i>	U.S.A. (TX)	U.S.A. (CA), Mexico	do do	E E	1 568	NA 17.95(d)	NA NA
Toad, Cameroon	<i>Anaxyrus californicus</i>	U.S.A. (CA)	Equatorial Africa	do do	E E	15 2	NA 17.95(d)	NA NA
Toad, Houston	<i>Bufo superciliaris</i>	U.S.A. (TX)	Costa Rica	do do	E E	15 283	NA 283	NA NA
Toad, Monte Verde golden	<i>Bufo houstonensis</i>	U.S.A. (TX)	U.S.A. (PR), British Virgin Islands	do do	E T	138	NA	NA
Toad, Puerto Rican crested	<i>Bufo periglenes</i>	U.S.A. (TX)	U.S.A. (CA)	do do	E T	834	NA	NA
Toad, Wyoming	<i>Peltophryne lemur</i>	U.S.A. (WY)	Tanzania, Guinea, Ivory Coast, Cameroon, Liberia, Ethiopia.	do do	E E	15	NA	NA
Toad, Yosemite	<i>Bufo hemisphaericus</i>	U.S.A. (CA)
Toads, African viviparous	<i>Anaxyrus canorus</i>	U.S.A. (CA)
	<i>Nectophrynoides spp.</i>
FISHES				Entire	E	3	NA	NA
Ala Balik (trout)	<i>Salmo platycephalus</i>	Turkey	do	E E	3	NA	NA
Ayumodoki (labeefish)	<i>Hymenophryne curta</i>	Japan	do	E E	3	NA	NA
Blindcat, Mexican (catfish)	<i>Pterodoras pectoralis</i>	Mexico	do	E E	3	NA	NA
Bocaccio (Puget Sound-Georgia Basin DPS)	<i>Sebastodes paucispinis</i>	Pacific coast from Punta Blanca, Baja California, to the Gulf of Alaska off Kruzof and Kodiak islands.	Puget Sound-Georgia Basin DPS—see 50 CFR 224.101.	E	776	NA	NA
Bonylongue, Asian	<i>Scleropages formosus</i>	Thailand, Indonesia, Malaysia	E	15	NA	NA
Catfish, Thailand giant	<i>Pangasianodon gigas</i>	Thailand	do	E E	3	NA	NA
Catfish, Yaqui	<i>Ictalurus pricei</i>	U.S.A. (AZ), Mexico	do	T	157	17.95(e)	17.44(h)
Caverfish, Alabama	<i>Synbranchus poulosi</i>	U.S.A. (AL)	do	E E	28, 328	17.95(e)	NA
Caverfish, Ozark	<i>Ambloplites rosea</i>	U.S.A. (AR, MO, OK)	do	T T	164	NA	NA
Chub, bonytail	<i>Gila elegans</i>	U.S.A. (AZ, CA, CO, NV, UT, WY).	do	E E	92	17.95(e)	NA
Chub, Borax Lake	<i>Gila boraxialis</i>	U.S.A. (OR)	do	E	94E	17.95(e)	NA
Chub, Chihuahua	<i>Gila nigrescens</i>	U.S.A. (NM), Mexico (Chihuahua)	do	T	124	NA	17.44(g)
Chub, Gila	<i>Gila intermedia</i>	U.S.A. (AZ, NM), Mexico	do	E E	132	NA	17.95(e)
Chub, humpback	<i>Gila cyprinoides</i>	U.S.A. (AZ, CO, UT, WY)	do	E E	755	17.95(e)	NA
Chub, Hutton tui	<i>Gila bicolor</i> ssp.	U.S.A. (OR)	do	T	1	17.95(e)	17.44(i)
Chub, Mohave tui	<i>Gila bicolor mojavensis</i>	U.S.A. (CA)	do	E E	2	NA	NA
Chub, Oregon	<i>Oreoglanichthys crameri</i>	U.S.A. (OR)	do	T T	520,769	17.95(e)	NA
Chub, Owens tui	<i>Gila bicolor Snyderi</i>	U.S.A. (CA)	do	E E	195	17.95(e)	NA
Chub, Pahranagat roundtail	<i>Gila robusta jordani</i>	U.S.A. (NV)	do	E E	2	NA	NA
Chub, slender	<i>Erinnyx talmi</i>	U.S.A. (TN, VA)	do	T	28	17.95(e)	17.44(c)
Do		XN	NA	17.84(sr)
Chub, Sonora	<i>Gila difaria</i>	U.S.A. (AZ), Mexico	T	227	17.95(e)	17.44(o)
Chub, spottin (=turquoise shiner)	<i>Erinnyx monachus</i>	U.S.A. (AL, GA, NC, TN, VA)	T	28	17.95(e)	17.44(c)

Entire, except where listed as an experimental population.
U.S.A. (TN)—specified portions of the French Broad and Holston Rivers; see 17.84(s)(1)(i).
Entire, except where listed as an experimental population.

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Do	do	do	do	U.S.A. (TN—specified portions of the Tellico River; see 17.84(m)(1)(i)). U.S.A. (AL, TN—specified portions of Shoal Creek; see 17.84(m)(1)(i)). U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.84(m)(1)(ii)). Entire	XN	732	NA	17.84(m)
Do	do	do	do	do	XN	747	NA	17.84(m)
Do	do	do	do	U.S.A. (AZ, NV, UT)	E	361	17.95(e)	
Chub, Virgin River	Chub, Yaqi	Chub, Cicék (minnow)	Chub, Curui	U.S.A. (AZ), Mexico	E	157	17.95(e)	
Chub, Yaqi	Chub, Cicék (minnow)	Chub, Curui	Dace, Ash Meadows speckled	Turkey	E	1	NA	
Chub, Yaqi	Chub, Cicék (minnow)	Chub, Curui	Dace, blackside	U.S.A. (NV)	E	117E,	17.95(e)	
Chub, Yaqi	Chub, Cicék (minnow)	Chub, Curui	Dace, Clover Valley speckled	do	E	130	NA	
Chub, Yaqi	Chub, Cicék (minnow)	Chub, Curui	Dace, Dace, Kendall Warm Springs	U.S.A. (KY, TN)	T	273	NA	
Chub, Yaqi	Chub, Cicék (minnow)	Chub, Curui	Dace, Foskett speckled	U.S.A. (NV)	E	370	NA	
Chub, Yaqi	Chub, Cicék (minnow)	Chub, Curui	Dace, Independence Valley speckled	do	T	1,2D,	17.95(e)	
Chub, Yaqi	Chub, Cicék (minnow)	Chub, Curui	Dace, Laurel	do	E	210	17.95(e)	
Chub, Yaqi	Chub, Cicék (minnow)	Chub, Curui	Dace, Moapa	U.S.A. (OR)	T	174	NA	
Chub, Yaqi	Chub, Cicék (minnow)	Chub, Curui	Darter, amber	U.S.A. (NV)	E	370, 372	NA	
Chub, Yaqi	Chub, Cicék (minnow)	Chub, Curui	Darter, bayou	Rhinichthys osculus thermals	E	2	NA	
Chub, Yaqi	Chub, Cicék (minnow)	Chub, Curui	Darter, bluemask	Chromosomus saylon	E	791	17.95(e)	
Chub, Yaqi	Chub, Cicék (minnow)	Chub, Curui	Darter, boulder	Moapa conifera	E	1	NA	
Chub, Yaqi	Chub, Cicék (minnow)	Chub, Curui	Do	Percina anterella	E	196	17.95(e)	
Chub, Yaqi	Chub, Cicék (minnow)	Chub, Curui	Do	Etheostoma rubrum	T	10	NA	
Chub, Yaqi	Chub, Cicék (minnow)	Chub, Curui	Do	Etheostoma sp.	E	525	NA	
Chub, Yaqi	Chub, Cicék (minnow)	Chub, Curui	Do	Etheostoma wapiti	E	322	NA	
Chub, Yaqi	Chub, Cicék (minnow)	Chub, Curui	Do	Entire, except where listed as an experimental population, Shoal Creek (from Shoal Creek mile 41.7 (66.7 km) at the mouth of Long Branch, Lawrence County, TN, downstream to the backwaters of Wilson Reservoir (Shoal Creek mile 14 (22 km)) at Goose Shoals, Lauderdale County, AL, including the lower 5 miles (8 km) of all tributaries that enter this reach.	XN	747	NA	17.84(o)
Do	do	do	do	Entire	T	569	NA	
Darter, Cherokee	Darter, Cumberland	Darter, diamond	Darter, duskytail	do	E	791	17.95(e)	
Darter, Cherokee	Darter, Cumberland	Darter, diamond	Darter, duskytail	do	E	815	17.95(e)	
Darter, Cherokee	Darter, Cumberland	Darter, diamond	Darter, duskytail	do	E	502	NA	
Do	do	do	do	Entire, except where listed as an experimental population, U.S.A. (TN—specified portions of the Tellico River; see 17.84(p)(1)(i)).	XN	732	NA	17.84(q)

§ 17.11

50 CFR Ch. I (10–1–14 Edition)

Common name	Species	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Dodododo	U.S.A. (TN)—specified portions of the French Broad and Holston Rivers; see 17.84(q)(1)(ii).	XN	NA	17.84(q)
Darter, Etowah	<i>Etheostoma etowahae</i>	U.S.A. (GA)	Entire	E	569	NA	NA
Darter, fountain	<i>Etheostoma fonticola</i>	U.S.A. (TX)	do	E	2	17.95(e)	NA
Darter, goldline	<i>Percina aurolinota</i>	U.S.A. (AL, GA, TN)	do	T	462	NA	NA
Darter, leopard	<i>Percina pantherina</i>	U.S.A. (AR, OK)	do	T	31	17.95(e)	17.44(d)
Darter, Maryland	<i>Etheostoma sellare</i>	U.S.A. (MD)	do	E	1	17.95(e)	NA
Darter, Nangua	<i>Etheostoma nianguae</i>	U.S.A. (MO)	do	E	185	17.95(e)	17.44(k)
Darter, Okaloosa	<i>Etheostoma okaloosae</i>	U.S.A. (FL)	do	T	6,787	NA	17.44(bb)
Darter, relict	<i>Etheostoma chienense</i>	U.S.A. (KY)	do	E	525	NA	NA
Darter, rush	<i>Etheostoma phytophilum</i>	U.S.A. (AL)	do	E	791	17.95(e)	NA
Darter, slackwater	<i>Etheostoma boschungi</i>	U.S.A. (AL, TN)	do	T	28	17.95(e)	17.44(c)
Darter, shal	<i>Percina tarranti</i>	U.S.A. (AL, GA, TN)	do	T	12,150	NA	NA
Darter, vermillion	<i>Etheostoma chemocki</i>	U.S.A. (AL)	do	E	715	17.95(e)	NA
Darter, watercross	<i>Etheostoma nuchale</i>dodo	do	E	2	NA	NA
Darter, yellowcheek	<i>Etheostoma moorei</i>	U.S.A. (AR)	do	E	791	17.95(e)	NA
Eulachon (Southern DPS)	<i>Thaleichthys pacificus</i>	Southern DPS—see 50 CFR 223.102.	T	776	226,222	NA
Gambusia, Big Bend	<i>Gambusia gaigei</i>	Entire	E	1	NA	NA
Gambusia, Clear Creek	<i>Gambusia heterochir</i>	U.S.A. (TX)	do	E	1	NA	NA
Gambusia, Pecos	<i>Gambusia nobilis</i>	U.S.A. (NM, TX)	do	E	2	NA	NA
Gambusia, San Marcos	<i>Gambusia georgii</i>	U.S.A. (TX)	do	E	98	17.95(e)	NA
Goby, tidewater	<i>Eucyclogobius newberryi</i>	U.S.A. (CA)	do	E	527	17.95(e)	NA
Logperch, Conasauga	<i>Perca jenkinsi</i>	U.S.A. (GA, TN)	do	E	196	17.95(e)	NA
Logperch, Roanoke	<i>Perca rex</i>	U.S.A. (VA)	do	E	359	NA	NA
Madtom, Chuck	<i>Noturus cyprinus</i>	U.S.A. (TN)	do	E	791	17.95(e)	NA
Madtom, Neosho	<i>Noturus placidus</i>	U.S.A. (KS, MO, OK)	do	T	388	NA	NA
Madtom, pygmy	<i>Noturus stanwili</i>	U.S.A. (TN)	Entire, except where listed as an experimental population.	E	502	NA	NA
Dododo	U.S.A. (TN)—specified portions of the French Broad and Holston Rivers; see 17.84(t)(1)(i).	XN	NA	17.84(t)
Madtom, Scioto	<i>Noturus troutmani</i>	U.S.A. (OH)	Entire	E	10	NA	NA
Madtom, smoky	<i>Noturus baileyi</i>	U.S.A. (TN)	Entire, except where listed as an experimental population.	E	163	17.95(e)	NA
Dododo	U.S.A. (TN)—specified portions of the Tellico River; see 17.84(t)(1)(i)).	XN	732	NA	17.84(r)
Madtom, yellowfin	<i>Noturus flavipinnis</i>	U.S.A. (TN, VA)	Entire, except where listed as an experimental population.	T	28	17.95(e)	17.44(c)
Dododo	U.S.A. (TN, VA)—specified portions of the Holston River and watershed; see 17.84(e)(1)(i)).	XN	317	NA	17.84(e)

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Dodo	U.S.A. (TN—specified portions of the Tellico River; see 17.84(e)(1)(iii)).	XN	732	NA	17.84(e)
Dodo	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.84(e)(1)(iii)).	XN	NA	17.84(e)
Minnow, Devil's Riverdo	Entire	T	669	17.95(e)	NA
Minnow, loachdodo	E	247	17.95(e)	NA
Minnow, Rio Grande silverydo	Entire, except where listed as an experimental population.	E	543	17.95(e)	NA
Dodo	Rio Grande, from Little Box Canyon (approximately 10.4 river miles downstream of Fort Quitman, TX) to Amistad Dam; and on the Pecos River, from its confluence with Independence Creek to its confluence with the Rio Grande.	XN	761	NA	17.84(u)
<i>Dionda diabolii</i>do	Entire	E	3	17.95(e)	NA
<i>Tiaroga cobitis</i>do	Entire, except Salt and Verde R. drainages, AZ.	E	1,193	17.95(e)	NA
<i>Hybognathus amarus</i>do	Salt and Verde R. drainages, AZ	XN	193	NA	17.84(b)
Coreobagrus ichikawaido	Entire	E	1	17.95(e)	NA
<i>Ptychocheilus lucius</i>dodo	E	117E, 127E, 130	17.95(e)	NA
Nekogig (catfish) Pike minnow (=squawfish), Colrado.do	U.S.A. (AZ, CA, CO, NM, NV, UT, WY), Mexico.	E	1	NA	NA
Poofish, Pahumpdo	U.S.A. (NV)	E	222	17.95(e)	NA
Poofish, Ash Meadows Amargosa minorectes.dodo	E	1	NA	NA
Poofish, Comanche Springsdo	U.S.A. (TX)	E	102	17.95(e)	NA
Poofish, desertdo	U.S.A. (AZ, CA) Mexico	E	1	NA	NA
Poofish, Devils Holedo	U.S.A. (NV)	E	2	NA	NA
Poofish, Leon Springsdodo	E	2	NA	NA
Poofish, Owensdo	U.S.A. (CA)	E	2	NA	NA
Poofish, Warm Springsdo	U.S.A. (NV)	E	2	NA	NA
Rockfish, canary (Puget Sound-Georgia Basin DPS).do	Pacific coast from Punta Colnett, Baja California, to the Western Gulf of Alaska.	Puget Sound-Georgia Basin DPS—see 50 CFR 223.102.	776	NA	NA
Rockfish, yelloweye (Puget Sound-Georgia Basin DPS).do	Pacific coast from northern Baja California to the Aleutian Islands, Alaska.	Puget Sound-Georgia Basin DPS—see 50 CFR 223.102.	776	NA	NA
Salmon, Atlantic (Gulf of Maine DPS).do	U.S.A., Canada, Greenland, western Europe.	Gulf of Maine DPS—see 50 CFR 224.101.	705	226.217	NA
Salmon, Chinook (California Coast al ESU).do	North America, from Ventura River in California to Point Hope, Alaska, and the MacKenzie River area, in Canada; northeast Asia from Hokkaido, Japan, to the Amady River, Russia.	California Coastal ESU—see 50 CFR 223.102.	674	226.211	223.203
Central Valley spring-run ESU—XN—see 50 CFR 223.102.dodo	Central Valley spring-run ESU—XN.			816

§ 17.11

50 CFR Ch. I (10–1–14 Edition)

Species	Common name	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Salmon, Chinook (Central Valley spring-run ESU).	Chinook (Central Valley spring-run ESU).dodo	Central Valley spring-run ESU—see 50 CFR 223.102.	T	674	226.211	223.203
Salmon, Chinook (Lower Columbia River ESU).	Chinook (Lower Columbia River ESU).dodo	Lower Columbia River ESU—see 50 CFR 223.102.	T	664	226.212	223.203
Salmon, Chinook (Puget Sound ESU).	Chinook (Puget Sound ESU).dodo	Puget Sound ESU—see 50 CFR 223.102.	T	664	226.212	223.203
Salmon, Chinook (Sacramento River winter-run ESU).	Chinook (Sacramento River winter-run ESU).dodo	Sacramento River, winter-run ESU—see 50 CFR 224.101.	E	383E, 407, 534	226.204	NA
Salmon, Chinook (Snake River fall-run ESU).	Chinook (Snake River fall-run ESU).dodo	Snake River, fall-run ESU—see 50 CFR 223.102.	T	516	226.205	223.203
Salmon, Chinook (Snake River spring/summer-run ESU).	Chinook (Snake River spring/summer-run ESU).dodo	Snake River, spring/summer-run ESU—see 50 CFR 223.102.	T	516	226.205	223.203
Salmon, Chinook (Upper Columbia River spring-run ESU).	Chinook (Upper Columbia River spring-run ESU).dodo	Upper Columbia River, spring-run ESU—see 50 CFR 224.101.	E	664	226.212	NA
Salmon, Chinook (Upper Columbia River spring-run ESU—XN).	Chinook (Upper Columbia River spring-run ESU—XN).dodo	Upper Columbia River, spring-run ESU—see 50 CFR 223.102.	XN	845	NA	223.301
Salmon, Chinook (Upper Willamette River ESU).	Chinook (Upper Willamette River ESU).dodo	Upper Willamette River ESU—see 50 CFR 223.102.	T	664	226.212	223.203
Salmon, chum (Columbia River).	Oncorhynchus ketado	North Pacific Rim from Korea and the Japanese Island of Honshu east to Monterey Bay, California; Arctic Ocean from the Laptev Sea in Russia to Mackenzie River in Canada.	Columbia River ESU—see 50 CFR 223.102.	T	664	226.212	223.203
Salmon, chum (Hood Canal summer-run ESU).	Chum (Hood Canal summer-run ESU).dodo	Hood Canal, summer-run ESU—see 50 CFR 223.102.	T	664	226.212	223.203
Salmon, coho (Central California Coast ESU).	Coho (Central California Coast ESU).	Oncorhynchus kisutchdo	Central California Coast ESU—see 50 CFR 224.101.	E	598	226.210	NA
Salmon, coho (Lower Columbia River ESU).	Coho (Lower Columbia River ESU).dodo	Lower Columbia River ESU—see 50 CFR 223.102.	T	776	NA	223.203
Salmon, coho (Oregon Coast ESU).	Coho (Oregon Coast ESU).dodo	Oregon Coast ESU—see 50 CFR 223.102.	T	776	226.212	223.203
Salmon, coho (Southern Oregon—Northern California Coast ESU).	Coho (Southern Oregon—Northern California Coast ESU).dodo	Southern Oregon—Northern California Coast ESU—see 50 CFR 223.102.	T	618	226.210	223.203
Salmon, sockeye (Ozette Lake ESU).	Sockeye (Ozette Lake ESU).	Oncorhynchus nerkado	Ozette Lake ESU—see 50 CFR 223.102.	T	664	226.212	223.203
Salmon, sockeye (Snake River ESU).	Sockeye (Snake River ESU).dodo	Snake River ESU—see 50 CFR 224.101.	E	455	226.205	NA
Sawfish, largetooth	Largetooth	<i>Pristis perotteti</i>do	Entire	E	816	NA	NA
Sawfish, smalltooth (United States DPS).	Smalltooth (United States DPS).	<i>Pristis pectinata</i>do	United States DPS—see 50 CFR 224.101.	E	748	226.218	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Sculpin, grotto	<i>Cottus specus</i>	U.S.A. (MO)	Entire	17.95(e)	NA
Sculpin, pygmy	<i>Cottus pigmaeus</i>	U.S.A. (AL)	do	17.44(j)	NA
Shark, scalloped hammerhead	<i>Sphyrna lewini</i>	Central and Southwest Atlantic Ocean, including Caribbean Sea.	Central & SW Atlantic DPS—see 50 CFR 223.102.	NA	NA
(Central & SW Atlantic DPS).					
Shark, scalloped hammerheaddo	Eastern Atlantic Ocean, including Mediterranean Sea.	Entire Atlantic DPS—see 50 CFR 224.101.	E 823	NA
(Eastern Atlantic DPS).		Eastern Pacific Ocean	Entire Pacific DPS—see 50 CFR 224.101.	T 365	NA
Shark, scalloped hammerheaddo	Indo-West Pacific Ocean	Entire Indo-West Pacific DPS—see 50 CFR 223.102.	T 845	NA
(Eastern Pacific DPS).		U.S.A. (AR, KS, NM, OK, TX)	Entire Arkansas River Basin (AR, KS, NM, OK, TX).	T 653	NA
Shark, scalloped hammerheaddo	U.S.A. (AZ, NM), Mexico	Entire	E 845	NA
(Indo-West Pacific DPS).		U.S.A. (AL, GA, TN)	do	E 845	NA
Shiner, Arkansas River	<i>Notropis girardi</i>	U.S.A. (AL)	do	T 845	NA
Shiner, beautiful	<i>Cyprinella formosa</i>	U.S.A. (NC)	do	T 653	NA
Shiner, blue	<i>Cyprinella caerulea</i>	U.S.A. (AL)	do	E 157	NA
Shiner, Catfish	<i>Notropis cataphae</i>	U.S.A. (AL)	do	T 462	NA
Shiner, Cape Fear	<i>Notropis mekistocholas</i>	U.S.A. (NC)	do	E 405	NA
Shiner, palezone	<i>Notropis albizonatus</i>	U.S.A. (AL, KY, TN)	do	E 290	NA
Shiner, Pecos bluntnose	<i>Notropis simus pecosensis</i>	U.S.A. (NM)	do	E 17.95(e)	NA
Shiner, sharpnose	<i>Notropis oxyrhynchus</i>	U.S.A. (TX)	do	E 502	NA
Shiner, smalleye	<i>Notropis buccula</i>	do	do	E 258	NA
Shiner, Topka	<i>Notropis topeka=iris</i>	U.S.A. (IA, KS, MN, MO, NE, SD). do	do	E 840	NA
Shiner, Topkado	do	do	E 654	NA
			Entire, except where listed as an experimental population, U.S.A. (MO)—specified portions of Little Creek, Big Muddy Creek, and Spring Creek watersheds in Adair, Gentry, Harrison, Putnam, Sullivan, and Worth Counties; see 17.84(n)(1)(i)).	XN	NA
Sliverside, Waccamaw	<i>Menidia extensa</i>	U.S.A. (NC)	Entire	T 265	17.95(e)
Smelt, delta	<i>Hypomesus transpacificus</i>	U.S.A. (CA)	do	T 492	17.95(e)
Spikedace	<i>Meda fulgida</i>	U.S.A. (AZ, NM), Mexico	do	E 236	17.95(e)
Spinidade, Big Spring	<i>Lepidomeda mollispinis pratinensis</i>	U.S.A. (NV)	do	T 173	17.95(e)
Spinidade, Little Colorado	<i>Lepidomeda vittata</i>	U.S.A. (AZ)	do	T 1.2D	17.95(e)
			do	T 287	17.44(f)
Spinedace, White River	<i>Lepidomeda albilabris</i>	U.S.A. (NV)	do	E 203	17.95(e)
Springfish, Hiko White River	<i>Crenichthys baileyi grandis</i>	do	do	E 206	17.95(e)
Springfish, Railroad Valley	<i>Crenichthys nevadae</i>	do	do	T 224	17.95(e)
Springfish, White River	<i>Crenichthys baileyi baileyi</i>	do	do	E 206	17.95(e)
Steelhead (California Central Valley DPS).	<i>Oncorhynchus mykiss</i>	North Pacific Ocean from the Kachincha Peninsula in Asia to the northern Baja Peninsula.	California Central Valley DPS—see 50 CFR 223.102.	T 638	226.211
Steelhead (Lower Columbia River DPS).do	do	do	T 638	226.211
Steelhead (Middle Columbia River DPS).do	do	do	T 664	226.212
			Lower Columbia River DPS—see 50 CFR 223.102.	T 638	223.203
			Middle Columbia River DPS—see 50 CFR 223.102.	T 664	223.203

§ 17.11

50 CFR Ch. I (10-1-14 Edition)

Species	Common name	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Steelhead (Middle Columbia River DPS—XN).	do	do	Middle Columbia River DPS—XN—see 50 CFR 223.102.	XN	816	NA	223.301
Steelhead (Northern California DPS).	do	do	Northern California DPS—see 50 CFR 223.102.	T	701	226.211	223.203
Steelhead (Puget Sound DPS)	do	do	Puget Sound DPS—see 50 CFR 223.102.	T	776	NA	223.203
Steelhead (Snake River Basin DPS).	do	do	Snake River Basin DPS—see 50 CFR 223.102.	T	638	226.212	223.203
Steelhead (South-Central California Coast DPS).	do	do	South-Central California Coast DPS—see 50 CFR 223.102.	T	638	226.211	223.203
Steelhead (Southern California DPS).	do	do	Southern California DPS—see 50 CFR 224.101.	E	638	226.211	NA
Steelhead (Upper Columbia River DPS).	do	do	Upper Columbia River DPS—see 50 CFR 223.102.	T	638	226.212	223.203
Steelhead (Upper Willamette River DPS).	do	do	Upper Willamette River DPS—see 50 CFR 223.102.	T	664	226.212	223.203
Stickleback, unarmored threespine Gasterosteus aculeatus	U.S.A. (CA)	Entire	E	2	NA	NA
Acipenser Williamsoni.	E	845	NA	NA
Acipenser naccarii	E	697	17.95(e)	NA
Scaphirhynchus suttkusi	E	816	NA	NA
Scaphirhynchus oxyrinchus	E	816	NA	NA
Sturgeon, Adriatic	E	816	NA	NA
Sturgeon, Alabama	E	816	NA	NA
Sturgeon, Atlantic (Atlantic sub-Species; Carolina DPS).	E	816	NA	NA
Sturgeon, Atlantic (Atlantic sub-Species; Chesapeake Bay DPS).	E	816	NA	NA
Sturgeon, Atlantic (Atlantic sub-Species; Gulf of Maine DPS).	E	816	NA	NA
Sturgeon, Atlantic (Atlantic sub-Species; New York Bight DPS).	E	816	NA	NA
Sturgeon, Atlantic (Atlantic sub-Species; South Atlantic DPS).	E	816	NA	NA
Sturgeon, Atlantic (Gulf sub-Species), Sturgeon, Atlantic (Gulf sub-Species), Sturgeon, beluga	Acipenser oxyrinchus (=oxyrinchus desotoi). Huso huso	T	444	17.95(e), 226.214	17.44(v) 17.44 (y)
Acipenser sinensis	T	743	NA	NA
Sturgeon, Chinese	E	845	NA	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Sturgeon, European	<i>Acipenser sturio</i>	North Sea, the English Channel and most European coasts of the Atlantic Ocean, the Mediterranean Sea, and the Black Sea.	U.S.A. (CA)	do	E	845	NA	NA
Sturgeon, green (Southern DPS)	<i>Acipenser medirostris</i>	U.S.A. (CA)	223.102. Southern DPS—see 50 CFR 223.102. Entire	T	756	226,219	223,210
Sturgeon, kaluga	<i>Huso dauricus</i>	Amur River basin, Sea of Okhotsk and the Sea of Japan.	U.S.A. (AR, IA, IL, KS, KY, LA, MO, MS, MT, ND, NE, SD, TN).	do	E	845	NA	NA
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	Northwest Pacific Ocean in Japan and Russia.	U.S.A. and Canada (Atlantic Coast).	do	E	399	NA	NA
Sturgeon, Sakhalin	<i>Acipenser mikadoi</i>	U.S.A. (AL, AR, IA, IL, IN, KS, KY, LA, MN, MO, MS, MT, ND, NE, NM, OH, OK, PA, SD, TN, TX, WI, WV, WY), U.S.A. (UT), U.S.A. (WA), Canada (BC), U.S.A. (AK, CA, ID, MT, OR, WA), Canada (BC), U.S.A. (CA, OR)	U.S.A. (ID, MT), Canada (BC), (Kootenai R. system). Entire	E	845	NA	NA
Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	U.S.A. (AZ, CA, CO, NM, NV, UT, WY), Mexico.	U.S.A. (AZ, CA, CO, NM, NV, UT, WY), Mexico.	do	E	1	NA	NA
Sturgeon, shovelnose	<i>Scaphirhynchus platorynchus</i>	U.S.A. (CA)	Los Angeles River basin, San Gabriel River basin, Santa Ana River basin.	T (S/A)	778	NA	17.44(aa)
Sturgeon, white (Kootenai River DPS), Sucker, June	<i>Acipenser transmontanus</i>	Chasmistes liorus	U.S.A. (CA, OR)	E	549	17.95(e)	NA
Sucker, Lost River	<i>Catostomus luxatus</i>	Catostomus microps	U.S.A. (CA)	do	E	223	17.95(e)	NA
Sucker, Modoc	<i>Catostomus texanus</i>	Xyrauchen texanus	U.S.A. (AZ)	do	E	313	17.95(e)	NA
Sucker, razorback	<i>(Catostomus sanctanae)</i>	Chasmistes brevirostris	U.S.A. (CA, OR)	do	E	184	17.95(e)	NA
Sucker, Santa Ana		Catostomus warrenensis	U.S.A. (AZ)	do	E	447	17.95(e)	NA
Sucker, shortnose		Elassoma alabamae	U.S.A. (AL)	do	E			
Sucker, Warner		Tanakia tanago	Japan	do	E			
Sucker, Zuni bluehead		Probarbus jullieni	Thailand, Cambodia, Vietnam, Malaysia, Laos, U.S.A. (AZ, NM), Mexico	do	E			
Sunfish, spring pigmy		Poeciliopsis occidentalis	U.S.A. (AZ, NM), Mexico	U.S.A. only	E	313	17.95(e)	NA
Tango, Miyako (Tokyo bitterling)		Cynodonichthys concordidi	Mexico (Gulf of California)	Entire	E	205	17.95(e)	17.44(l)
Tenebrio, Ikan (minnow)		Oncorhynchus apache	U.S.A. (AZ)	do	E	839	NA	NA
Topminnow, Gila (incl. Yaqui)		Salvelinus confluentus	U.S.A. (AK, Pacific NW into CA, ID, NV, MT) Canada (NW Territories). U.S.A. (AK, Pacific NW into CA, ID, NV, MT) Canada (NW Territories).	U.S.A., coterminous (lower 48 states), except where listed as an experimental population. Clackamas River subbasin and the mainstem Willamette River, from Willamette Falls to its points of confluence with the Columbia River; including Multnomah Channel.	E	1	NA	NA
Totoaba (sea trout or weakfish)	E	48	NA	17.44(a)
Trout, Apache	T	1,8	637,	17.95(e)
Trout, bull	T	639,	639E,	17.44(w), 17.44(x)
				XN	659, 670	NA	17.84(v)
Trout, Gila		<i>Salvelinus confluentus</i>	U.S.A. (AZ, NM)	T	1,757	NA	17.44(z)
		<i>Oncorhynchus gilae</i>							

§ 17.11

50 CFR Ch. I (10–1–14 Edition)

Species	Common name	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Trout, greenback cutthroat		<i>Oncorhynchus clarkii stomias</i>	U.S.A. (CO)	do	T	1,38	NA	17.44(f)
Trout, Landerian cutthroat		<i>Oncorhynchus clarkii henryi</i>	U.S.A. (CA, NV, OR, UT)	do	T	2,8	NA	17.44(a)
Trout, Little Kern golden		<i>Oncorhynchus aguabonita whitei</i>	U.S.A. (CA)	do	T	37	17.95(e)	17.44(e)
Trout, Paiute cutthroat		<i>Oncorhynchus clarkii seleniris</i>	do	do	T	1,8	NA	17.44(a)
Woundfin		<i>Piagopterus argenteus</i>	U.S.A. (AZ, NV, UT)	do	E	2,193	17.95(e)	NA
Do			do	do	XN	193	NA	17.84(b)
Acornshell, southern		<i>Eplobiastoma othcaloogenensis</i>	U.S.A. (AL, GA, TN)	NA	E	495	17.95(f)	NA
Bankclimber, purple (mussel)		<i>Elliptioideus strophianus</i>	U.S.A. (AL, FL, GA)	NA	T	633	17.95(f)	NA
Bean, Choctaw		<i>Villosa choctawensis</i>	U.S.A. (AL, FL)	NA	E	808	17.95(f)	NA
Bean, Cumberland (pearlymussel)		<i>Villosa trabalis</i>	U.S.A. (AL, KY, TN, VA)	NA	E	15	NA	NA
Do			do	do	XN	709	NA	17.85(a)
Do			do	do	XN	NA	17.85(b)
Bean, Purple		<i>Villosa peripuraea</i>	U.S.A. (TN, VA)	E	602	17.95(f)	NA
Blossom, green (pearlymussel)		<i>Eplobiastoma torulosa</i>	do	E	15	NA	NA
50 Blossom, tubercled (pearlymussel)		<i>gubernaculum</i> .	U.S.A. (AL, IN, KY, TN, WV)	NA	E	15	NA	NA
Do		<i>Eplobiastoma torulosa</i>	do	XN	709	NA	17.85(a)
Blossom, turgid (pearlymussel)		<i>Eplobiastoma turgida</i>	U.S.A. (AL, TN)	E	15	NA	NA
Do			do	XN	709	NA	17.85(a)
Blossom, yellow (pearlymussel)		<i>Eplobiastoma florentina</i>	do	E	15	NA	NA
Do			do	XN	709	NA	17.85(a)
Catspaw, (=purple cat's paw pearlymussel).		<i>Eplobiastoma</i>	U.S.A. (AL, IL, IN, KY, OH, TN)	E	394	NA	NA
Do			do	XN	709	NA	17.85(a)
Catspaw, white (pearlymussel)		<i>Eplobiastoma petrobliqua</i>	U.S.A. (IN, MI, OH)	E	15	NA	NA
Clubshell		<i>Pleurobema clava</i>	U.S.A. (AL, IL, IN, KY, MI, OH, PA, TN, WV)	E	488	NA	NA
Do			do	XN	709	NA	17.85(a)
Clubshell, black		<i>Pleurobema curtum</i>	U.S.A. (AL, MS)	E	262	NA	NA
Clubshell, ovate		<i>Pleurobema perovatum</i>	U.S.A. (AL, TN, GA, MS)	E	495	NA	17.95(f)

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Clubshell, southern	<i>Pleurobema deoicum</i>	NA	NA	NA
Clubshell, Cumberlandian	<i>Epioblasma brevidens</i>	NA	NA	NA
Do	do	do	do	17.85(a)
Do	do	do	do	17.85(b)
Combshell, southern	<i>Epioblasma (=Dysnomia) penita</i>	NA	NA	NA
Combshell, upland	<i>Epioblasma metastratata</i>	U.S.A. (AL, KY, MS, TN, VA)	U.S.A. (AL—specified portions of the Tennessee River; see 17.85(a)(1)).	17.95(f)
Combshell, round	<i>Fusconidea rotula</i>	do	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	17.95(f)
Ebonyshell, round	<i>Fusconidea raveneliana</i>	do	Entire	17.95(f)
Elktoe, Appalachian	<i>Alasmidonta atropurpurea</i>	do	Entire	17.95(f)
Elktoe, Cumberland	<i>Cyprogenia stegaria</i> (=irrorata)	do	Entire	17.95(f)
Fanshell	do	do	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	17.95(f)
Fatnucket, Arkansas	<i>Lampsili Powellii</i>	U.S.A. (AR)	Entire	17.95(f)
Heelsplitter, Alabama	<i>Lampsili inflatus</i>	U.S.A. (AL, LA, MS)	Entire	17.95(f)
Heelsplitter, Carolina	<i>Lasmigona decora</i>	U.S.A. (NC, SC)	Entire	17.95(f)
Higgins eye (pearlymussel)	<i>Lampsili Higginsii</i>	do	Entire	17.95(f)
Kidneyshell, fluted	<i>Psychobranchus subtentum</i>	do	Entire	17.95(f)
Kidneyshell, southern	<i>Psychobranchus joneai</i>	do	Entire	17.95(f)
Kidneyshell, triangular	<i>Psychobranchus greenii</i>	do	Entire	17.95(f)
Lampmussel, Alabama	<i>Lampsili virescens</i>	do	U.S.A. (AL—specified portions of the Tennessee River; see 17.85(a)(1)).	17.95(f)
Liliput, pale (pearlymussel)	<i>Toxolasma cylindrellus</i>	do	Entire	17.95(f)
Mapleleaf, winged (mussel)	<i>Quadrula fragosa</i>	U.S.A. (AL, IA, IL, IN, KY, MN, MO, NE, OH, OK, TN, WI)	Entire	17.95(f)
Do	do	do	U.S.A. (AL—specified portions of the Tennessee River; see 17.85(a)(1)).	17.95(f)
Moccasinshell, Alabama	<i>Medionidus acutissimus</i>	U.S.A. (AL, GA, MS)	NA	NA
Moccasinshell, Coosa	<i>Medionidus parvulus</i>	U.S.A. (AL, GA, TN)	NA	NA
Moccasinshell, Gulf	<i>Medionidus penicillatus</i>	U.S.A. (AL, FL, GA)	NA	NA
Moccasinshell, Ochlockonee	<i>Medionidus simsoniorum</i>	U.S.A. (FL, GA)	NA	NA
Monkeyface, Appalachian	<i>Quadrula sparsa</i>	U.S.A. (TN, VA)	NA	NA
(peaflymussel),	do	do	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	17.95(f)
Monkeyface, (peaflymussel).	Cumberland	<i>Quadrula intermedia</i>	NA	NA
Do	do	do	U.S.A. (AL—specified portions of the Tennessee River; see 17.85(a)(1)).	17.95(f)

§ 17.11

50 CFR Ch. I (10–1–14 Edition)

Common name	Species	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Common name	Scientific name						
Dododo	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	XN	NA	17.85(b)
Mucket, Neosho	<i>Lampsilis rafinesqueana</i>	U.S.A. (AR, KS, MO, OK)	U.S.A. (AL, AR, IL, IN, KY, LA, MO, OH, PA, TN, VA, WV), U.S.A. (AL, GA, KY, MS, NC, TN, VA).	E	816 T 15	NA NA NA	NA
Mucket, orange-hacre	<i>Lampsilis perovalis</i>	U.S.A. (AL, AR, IL, IN, KY, LA, MO, OH, PA, TN, VA, WV), U.S.A. (AL, GA, KY, MS, NC, TN, VA).	E	495	17.95(f) NA	NA
Mucket, pink (pearlymussel)	<i>Lampsilis abrupta</i>	E	602	17.95(f)	NA
Mussel, oyster	<i>Epiblasma capsaeformis</i>do	U.S.A. (AL—specified portions of the Tennessee River; see 17.85(a)(1)).	XN	709	NA	17.85(f)
Dododo	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	XN	NA	17.85(b)
Mussel, rayed bean	<i>Villosa fabalis</i>	U.S.A. (IL, IN, KY, MI, NY, OH, PA, TN, VA, WV); Canada (ON).	E	798	NA	NA
Mussel, scaleshell	<i>Lepidota leptodon</i>	U.S.A. (AL, AR, IA, IL, IN, KY, MN, MO, OH, SD, TN, WI).	E	714	NA	NA
Mussel, snuffbox	<i>Epiblasma triquetra</i>	U.S.A. (AL, AR, IL, IN, IA, KS, KY, MI, MN, MS, MO, NY, OH, PA, TN, VA, WV, WI); Canada (ON).	E	798	NA	NA
Pearlshell, Alabama	<i>Margaritifera marginata</i>	U.S.A. (AL)	E	808 T 304	17.95(f) NA NA	NA
Pearlshell, Louisiana	<i>Margaritifera hemiflava</i>	U.S.A. (LA)	E	518 XN 709	NA NA 17.85(a)	NA
Pearlshell, birdwing	<i>Lemiox rimosa</i>do	NA	17.85(b)
Dododo	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	XN	NA	17.85(b)
Pearlymussel, cracking	<i>Hemistena lata</i>	U.S.A. (AL, IL, IN, KY, OH, TN, VA).	E	366	NA	NA
Dododo	U.S.A. (AL—specified portions of the Tennessee River; see 17.85(c)(1)).	XN	709	NA	17.85(a)
Dododo	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	NA	17.85(b)
Pearlymussel, Curtis	<i>Epiblasta florentina curtisi</i>	U.S.A. (AR, MO)	E	15	NA	NA
Pearlymussel, dromedary	<i>Dromia diomedeia</i>	U.S.A. (AL, KY, TN, VA)	E	15	NA	NA
Dododo	U.S.A. (AL—specified portions of the Tennessee River; see 17.85(a)(1)).	XN	709	NA	17.85(a)

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Do	<i>Pearlynussel</i> , little-wing	do	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).
Do	<i>Pearlynussel</i> , Nicklin's	do	Entire
Do	<i>Pearlynussel</i> , slabby	do	NA
Do	<i>Pearlynussel</i> , Tamico	do	NA
Pigtoe, Cumberland	<i>Pigtoe</i> , dark	do	NA
Pigtoe, fine-rayed	<i>Pigtoe</i> , fuzzy	do	NA
Do	<i>Pigtoe</i> , oval	do	NA
Pigtoe, flat	<i>Pigtoe</i> , heavy	do	NA
Pigtoe, Georgia	<i>Pigtoe</i> , narrow	do	NA
Pigtoe, rough	<i>Pigtoe</i> , oval	do	NA
Do	<i>Pigtoe</i> , fuzzy	do	NA
Pigtoe, shiny	<i>Pigtoe</i> , heavy	do	NA
Do	<i>Pigtoe</i> , narrow	do	NA
Do	<i>Pigtoe</i> , fuzzy	do	NA
Pigtoe, southern	<i>Pigtoe</i> , tapered	do	NA
Pigtoe, Pimpback (pearlynussel).	orangefoot	do	NA
Do	<i>Pigtoe</i> , tapered	do	NA
Pocketbook, fat	<i>Potamilus capax</i>	U.S.A. (AR, IA, IL, IN, KY, MO, MS, OH)	NA
Pocketbook, fine-lined	<i>Lampsilis affinis</i>	U.S.A. (AL, GA)	17.95(f) NA
Rock-pocketbook, Ouachita	<i>Arkansas wheeleri</i>	U.S.A. (AR, OK)	NA
Pocketbook, shiny-rayed	<i>Lampsilis subangulata</i>	U.S.A. (AL, FL, GA)	17.95(f) NA
Pocketbook, speckled	<i>Lampsilis steelei</i>	U.S.A. (AR)	NA
Rabbitfoot	<i>Quadrula cylindrica cylindrica</i>	U.S.A. (AL, AR, GA, IN, IL, KS, KY, LA, MO, MS, OH, OK, PA, TN, WV)	816 NA

§ 17.11

50 CFR Ch. I (10–1–14 Edition)

Species	Common name	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Rabbitfoot, rough		<i>Quadrula cylindrica strigillata</i>	U.S.A. (TN, VA)	NA	E	602	17.95(f) NA	NA
Riffleshell, northern		<i>Epioblasma torulosa rangiana</i>	U.S.A. (IL, IN, KY, MI, OH, PA, WV), Canada (Ont.)	Entire	E	488	NA	NA
Riffleshell, tan		<i>Epioblasma florentina walkeri</i> (=E. walkeri).	U.S.A. (AL, KY, NC, TN, VA)	do	E	27	NA	NA
Pink, ring (mussel)		<i>Obovaria retusa</i>	U.S.A. (AL, IL, IN, KY, OH, PA, TN, WV).	NA	E	369	NA	NA
Do	dodo	U.S.A. (TN)—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1).	XN	NA	17.85(b)
Sandshell, southern		<i>Hamioia australis</i>	U.S.A. (AL, FL)	NA	T	808	17.95(f) NA	NA
Sheepsnose		<i>Platobusus cyphus</i>	U.S.A. (AL, IL, IN, IA, KY, MN, MS, MO, OH, PA, TN, VA, WV, WI).	NA	E	17.95(f) NA	NA
Slabshell, Chipola		<i>Elliptio chipolaensis</i>	U.S.A. (AL, FL)	NA	T	633	17.95(f) NA	NA
Spectaclecase		<i>Cumberlanida monodon</i>	U.S.A. (AL, AR, IL, IN, IA, KS, KY, MO, OH, TN, VA, WV, WI).	NA	E	17.95(f) NA	NA
Spiny mussel, Altamaha		<i>Elliptio spinosa</i>	U.S.A. (GA)	Entire	E	796	17.95(f) NA	NA
Spiny mussel, James		<i>Pleurobema collina</i>	U.S.A. (VA, WV)	do	E	316	NA	NA
Spiny mussel, Tar River		<i>Elliptio steinbachi</i>	U.S.A. (NC)	do	E	188	NA	NA
Stirrupshell		<i>Quadrula stapes</i>	U.S.A. (AL, MS)	do	E	262	NA	NA
Threeridge, fat (mussel)		<i>Ambraena neisieri</i>	U.S.A. (FL, GA)	NA	E	633	17.95(f) NA	NA
Wartyback, white (peartymussel)		<i>Platobusus cicatricosus</i>	U.S.A. (AL, IL, IN, KY, TN)	U.S.A. (TN)—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1).	E	15	NA	NA
Do	dodo	Entire	XN	17.85(b)	
Wedgemussel, dwarf		<i>Alasmidonta heterodon</i>	U.S.A. (CT, DC, DE, MA, MD, NC, NH, NJ, NY, PA, VA, VT), Canada (N.B.).	Entire	E	377	NA	NA
SNAILS								
Abaalone, black		<i>Halictis cracherodii</i>	North America (West coast from Crescent City, CA, USA, to Cape San Lucas, Baja California, Mexico).	Entire	E	776	226.221	NA
Abaalone, white		<i>Halictis sorenseni</i>	North America (West coast from Point Conception, CA, U.S.A., to Punta Abreojos, Baja California, Mexico).	do	E	748	NA	NA
Ambersnail, Kanab		<i>Oxytoma haydeni kanabensis</i>	U.S.A. (AZ, UT)	do	E	431E, 459, 477	NA	NA
Campbeloma, slender		<i>Campeloma decampi</i>	U.S.A. (AL)	do	E	688	NA	NA
Cavernal, Tumbling Creek		<i>Antrolania culveri</i>	U.S.A. (MO)	do	E	731	17.95(f) NA	NA
Elmina, lacy (snail)		<i>Elmina crenatella</i>	U.S.A. (AL)	Entire	T	651	NA	NA
Hornsnail, rough		<i>Pleurocera foremanii</i>	U.S.A. (ID)	do	E	777	17.95(f) NA	NA
Limpet, Barnbury Springs		<i>Lanx</i> sp.	U.S.A. (ID)	do	E	485	NA	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Lipixax, cylindrical (snail)	<i>Lipixax cyclostomataformis</i>	U.S.A. (AL, GA)	do	NA
Marsionia (snail), royal	<i>Pygulopsis ogmophorpha</i>	U.S.A. (TN)	do	NA
Pebblesnail, flat	<i>Lepidium showalteri</i>	U.S.A. (AL)	do	NA
Pecos assiminea	<i>Assiminea pecos</i>	U.S.A. (NM, TX)	NA	NA
Riversnail, Anthony's	<i>Athenaea anthonyi</i>	U.S.A. (AL, GA, TN)	NA	NA
Dododo	XN	17.85(a)
Dododo	XN	17.85(b)
Rocksnail, interrupted	<i>Lepidoxis foremani</i>	U.S.A. (AL, GA)	do	NA
Rocksnail, painted	<i>Lepidoxis taeniata</i>	U.S.A. (AL)	do	NA
Rocksnail, plicate	<i>Lepidoxis plicata</i>do	do	NA
Rocksnail, round	<i>Lepidoxis ampla</i>do	do	NA
Snail, armed	<i>Pygulopsis pachytia</i>do	do	NA
Snail, Bliss Rapids	<i>Tayloriconcha semiperforata</i>	U.S.A. (AL)	do	NA
Snail, Chittenerango ovate amber	<i>Succinea chittenerangoensis</i>	U.S.A. (ID)	do	NA
Snail, flat-spined three-toothed	<i>Trioceros planasyoides</i>	U.S.A. (NY)	do	NA
Snail, Iowa Pleistocene	<i>Discus macclintocki</i>	U.S.A. (WV)	do	NA
Snail, Lanai tree	<i>Partulina semicarinata</i>	U.S.A. (IA, IL)	do	NA
Snail, Lanai tree	<i>Partulina variabilis</i>	U.S.A. (H)	NA	NA
Snail, Manus Island tree	<i>Papuaria pulcherrima</i>do	Pacific—Ocean—Admiralty Is. (Manus Is.)	NA
Snail, Morro shoulderband	<i>Helminthoglypta wakeriana</i>	U.S.A. (CA)	Entire	3
Snail, Newcomb's	<i>Erinna newcombi</i>	U.S.A. (HI)	NA	NA
Snail, Newcomb's tree	<i>Newcombia cumingii</i>do	Entire	NA
Snail, noorday	<i>Mesodon clarki nanahala</i>	U.S.A. (NC)	do	NA
Snail, painted snake coiled forest	<i>Analgispira picta</i>	U.S.A. (TN)	do	NA
Snail, Snake River physa	<i>Physa natricina</i>	U.S.A. (ID)	do	NA
Snail, Stock Island tree	<i>Oithalicus reses</i> (not incl. neosodysias).	U.S.A. (FL)	do	NA
Snail, tubotoma	<i>Tubotoma magnifica</i>	U.S.A. (AL)	do	NA
Snail, Virginia fringed mountain	<i>Polygyriscus virginianus</i>	U.S.A. (VA)	do	NA
Snails, Oahu tree	<i>Achatinella</i> spp.	U.S.A. (HI)	do	NA
Springsnail, Alamosa	<i>Tyonia alamosae</i>	U.S.A. (NM)	do	NA
Springsnail, Bruneau Hot	<i>Pygulopsis brunneauensis</i>	U.S.A. (ID)	do	NA
Springsnail, Chupadera	<i>Pygulopsis chupaderae</i>	U.S.A. (NM)	NA	NA
Springsnail, Koster's	<i>Juturnia kosteri</i>do	do	NA
Springsnail, Phantom	<i>Pygulopsis texana</i>	U.S.A. (TX)	NA	NA
Springsnail, Roswell	<i>Pygulopsis roswellensis</i>do	do	NA
Springsnail, San Bernardino	<i>Pygulopsis bernardina</i>	U.S.A. (AZ); Mexico (Sonora)	Entire	NA
Springsnail, Socorro	<i>Pygulopsis neomexicana</i>	U.S.A. (NM)	do	NA
Springsnail, Three Forks	<i>Pygulopsis trivialis</i>	U.S.A. (AZ)	do	NA
Tyonia, Diamond	<i>Pseudotyonia adamtina</i>	U.S.A. (TX)	NA	NA
Tyonia, Gonzales	<i>Tyonia circumstrigata</i>do	NA	NA
Tyonia, Phantom	<i>Tyonia cheatumii</i>do	NA	NA

§ 17.11

50 CFR Ch. I (10–1–14 Edition)

Species	Common name	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
INSECTS								
Beetle, American burying	<i>Nicrophorus americanus</i>	U.S.A. (eastern States south to FL, west to SD and TX), eastern Canada.	Entire, except where listed as an experimental population.	E	351	NA	NA	NA
Beetle, American burying	<i>Nicrophorus americanus</i>	U.S.A. (eastern States south to FL, west to SD and TX), eastern Canada.	In southwestern Missouri, the counties of Cedar, St. Clair, Bates, and Vernon.	XN	800	NA	17.8(c)	
Beetle, Casey's June	<i>Dinacoma caseyi</i>	U.S.A. (CA)	Entire	E	793	17.95(i)	NA	NA
Beetle, Coffin Cave mold	<i>Batriscodes texanus</i>	U.S.A. (TX)	do	E	327, 513	NA	NA	
Beetle, Coral Springs dryopid	<i>Stygopanmus comalensis</i>	do	NA	E	629	17.95(i)	NA	
Beetle, Coral Springs rifle	<i>Heteremis comataensis</i>	do	do	E	629	17.95(i)	NA	
Beetle, delta green ground	<i>Elaphrus viridis</i>	U.S.A. (CA)	Entire	T	100	17.95(i)	NA	
Beetle, Helots mold	<i>Batriscodes venusti</i>	U.S.A. (TX)	NA	E	706	17.95(i)	NA	
Beetle, Hungerford's crawling water.	<i>Byrrhus hungerfordi</i>	U.S.A. (MI, Canada)	Entire	E	533	NA	NA	
Beetle, Kretschmar Cave mold	<i>Texamaurops reddelli</i>	U.S.A. (TX)	do	E	327, 513	NA	NA	
Beetle, Mount Hermon June	<i>Polyphylla barbata</i>	U.S.A. (CA)	do	E	605	NA	NA	
Beetle, [no common name]	<i>Rhadine exilis</i>	U.S.A. (TX)	do	E	706	17.95(i)	NA	
Beetle, [no common name]	<i>Rhadine infernalis</i>	do	NA	E	706	17.95(i)	NA	
Beetle, Cicindela dorsalis dorsalis	<i>Cicindela dorsalis dorsalis</i>	U.S.A. (CT, MA, MD, NJ, NY, PA, RI, VA).	Entire	T	396	NA	NA	
Beetle, Ohione tiger	<i>Cicindela ohione (CA)</i>	U.S.A. (CA)	NA	E	713	NA	NA	
Beetle, Puritan tiger	<i>Cicindela puritana</i>	U.S.A. (CT, MA, MD, NH, VT)	Entire	T	396	NA	NA	
Beetle, Salt Creek tiger	<i>Cicindela nevadica incognita</i>	U.S.A. (NE)	do	E	754	17.95(i)	NA	
Beetle, Tooth Cave ground	<i>Rhadine persephone</i>	U.S.A. (TX)	do	E	327	NA	NA	
Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	U.S.A. (CA)	do	T	99	17.95(i)	NA	
Butterfly, Bartram's scrub-hairstreak.	<i>Strymon acis bartramii</i>	U.S.A. (FL)	NA	E	843	17.95(i)	NA	
Butterfly, bay checkerspot	<i>Euphydryas editha bayensis</i>	U.S.A. (CA)	Entire	T	288	17.95(i)	NA	
Butterfly, Behren's silverspot	<i>Speyeria zerene behrensi</i>	do	do	E	628	NA	NA	
Butterfly, callippe silverspot	<i>Speyeria callippe callippe</i>	U.S.A. (FL), Bahamas, Greater Antilles, Cayman Islands.	do	E	628	NA	17.47(a)	
Butterfly, cassius blue	<i>Leptotes cassius theonius</i>	U.S.A. (FL), Bahamas	do	T (SA)	801	NA		
Butterfly, ceraunus blue	<i>Hemimargus ceraunus</i>	Corsica, Sardinia	Entire	T (SA)	801	NA	17.47 (a)	
Butterfly, Corsican swallowtail	<i>Papilio hospiton</i>	U.S.A. (CA)	do	E	486	NA	NA	
Butterfly, El Segundo blue	<i>Euphilotes batoides allynii</i>	U.S.A. (OR)	NA	E	14	NA	NA	
Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>	U.S.A. (FL)	do	E	679	17.95(i)	NA	
Butterfly, Florida leafwing	<i>Anaea troglodyta floridana</i>	Jamaica	Entire	E	843	17.95(i)	NA	
Butterfly, Homerus swallowtail	<i>Papilio homerus</i>	U.S.A. (IL, IN, MA, MI, MN, NH, NY, OH, PA, WI), Canada (Ont.).	do	E	486	NA	NA	
Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	U.S.A. (CA)	do	E	484	NA	NA	
Butterfly, Lange's metalmark	<i>Apodemia mormo langei</i>	do	do	E	14	NA	NA	
Butterfly, lotis blue	<i>Lycaenidae argyrogynon lotis</i>	do	do	E	14	NA	NA	

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Butterfly, Luzon peacock swallowtail.	<i>Papilio chikae</i>	Philippines	do	NA	NA
Butterfly, Miami blue	<i>Cyclargus thomasi beauforti</i>	U.S.A. (FL), Bahamas	NA	NA	NA
Butterfly, mission blue	<i>Icaricia icarioides missionensis</i>	U.S.A. (CA)	Entire	NA	NA
Butterfly, Mitchell's satyr	<i>Neonympha mitchelli mitchelli</i>	U.S.A. (IN, MI, NJ, OH)	do	NA	NA
Butterfly, Mount Charleston blue ...	<i>Phoebis shasta charlestoniensis</i>	Spring Mountains, Clark County, NV, U.S.A.	do	do	do
Butterfly, Myrtle's silverspot	<i>Speyeria zerene myrtleae</i>	U.S.A. (CA)	do	Coastal south and central FL	do
Butterfly, nickerbean blue	<i>Cyclargus ammon</i>	U.S.A. (FL), Bahamas, Cuba	do	Entire	do
Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	U.S.A. (CA, OR, WA)	do	do	do
Butterfly, Palos Verdes blue	<i>Graecopsyches palaverdensis.</i>	U.S.A. (CA)	do	do	do
Butterfly, Queen Alexandra's birdwing, Queen Quino Checkerspot	<i>Troides alexandrae</i>	Papua New Guinea	do	do	do
Butterfly, Saint Francis' satyr	<i>Euphydryas edith quino</i>	U.S.A. (CA), Mexico	do	do	do
Butterfly, San Bruno elfin	<i>Neonympha mitchelli francisci</i>	U.S.A. (NC)	do	do	do
Butterfly, Schaus swallowtail	<i>Callophrys mossii bayensis</i>	U.S.A. (CA)	do	do	do
Butterfly, Smith's blue	<i>Heracides aristodemus</i>	U.S.A. (FL)	do	do	do
Butterfly, Taylor's checkerspot	<i>Euphilotes enopis smithi</i>	U.S.A. (CA)	do	do	do
Butterfly, Uncompromising Fritillary	<i>Euphydryas editha taylori</i>	U.S.A. (WA, OR), Canada (BC)	do	do	do
Damselfly, blackline Hawaiian	<i>Boltonia acrocnema</i>	U.S.A. (CO)	do	do	do
Damselfly, crimson Hawaiian	<i>Megalagrion nigrohamatum</i>	U.S.A. (HI)	do	do	do
Damselfly, flying earwig Hawaiian Damselfly, oceanic Hawaiian	<i>Megalagrion leptodemas</i>	U.S.A. (HI)	do	do	do
Damselfly, Pacific Hawaiian	<i>Megalagrion neoseltzii</i>	U.S.A. (HI)	do	do	do
Dragonfly, Hine's emerald	<i>Megalagrion oceanicum</i>	U.S.A. (AL, IL, IN, MI, MO, OH, and WI).	do	do	do
Fly, Delhi Sands flower-loving Fly	<i>Somatochloria hineana</i>	U.S.A. (CA)	do	do	do
Rhaphiomidas abdominalis.	<i>terminatus</i>	U.S.A. (CA)	Entire	Entire	Entire
Fly, Hawaiian picture-wing Fly, Hawaiian picture-wing	<i>Drosophila agaria</i>	U.S.A. (HI)	do	do	do
Fly, Hawaiian picture-wing	<i>Drosophila differens</i>	do	Entire	do	do
Fly, Hawaiian picture-wing	<i>Drosophila digressa</i>	do	do	do	do
Fly, Hawaiian picture-wing	<i>Drosophila hemipeza</i>	do	do	do	do
Fly, Hawaiian picture-wing	<i>Drosophila heteroneura</i>	do	do	do	do
Fly, Hawaiian picture-wing	<i>Drosophila montgomeryi</i>	do	do	do	do
Fly, Hawaiian picture-wing	<i>Drosophila mulli</i>	do	do	do	do
Fly, Hawaiian picture-wing	<i>Drosophila musaspila</i>	do	do	do	do
Fly, Hawaiian picture-wing	<i>Drosophila neocaviceps</i>	do	do	do	do
Fly, Hawaiian picture-wing	<i>Drosophila obatai</i>	do	do	do	do
Fly, Hawaiian picture-wing	<i>Drosophila ochrobasalis</i>	do	do	do	do
Fly, Hawaiian picture-wing	<i>Drosophila sharpii</i>	do	do	do	do
Fly, Hawaiian picture-wing	<i>Drosophila subobscuripennis</i>	do	do	do	do
Fly, Hawaiian picture-wing	<i>Drosophila tarphyptera</i>	do	do	do	do
Grasshopper, band-winged.	<i>Themerotropis infantilis</i>	U.S.A. (CA)	band-winged.	band-winged.	band-winged.
Zayante					

§ 17.11

50 CFR Ch. I (10–1–14 Edition)

Common name	Species	Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Moth, Blackburn's sphinx	<i>Manduca blackburni</i>	U.S.A. (HI)	NA	E	682	17.95(i)	NA
Moth, Kern primrose sphinx	<i>Eumorpha euterpe</i>	U.S.A. (CA)	T	91	NA	NA
Naucorid, Ash Meadows	<i>Ambrysus amatoensis</i>	U.S.A. (NV)	T	181	17.95(i)	NA
Skipper, Carson wandering	<i>Pseudocapaedus eunus</i>	U.S.A. (CA, NV)	E	730	NA	NA
Skipper, Laguna Mountains	<i>Pyrgus luralis lagunae</i>	U.S.A. (CA)	E	604	17.95(i)	NA
Skipper, Pawnee montane	<i>Hesperia leonardus montana</i>	U.S.A. (CO)	T	289	NA	NA
ARACHNIDS								
Harvestman, Bee Creek Cave	<i>Texella reddelli</i>	U.S.A. (TX)	E	327, 513	NA	NA
Harvestman, Bone Cave	<i>Texella reyesi</i>	do	E	327, 513	NA	NA
Harvestman, Cokendolpher cave	<i>Texella cokendolpheri</i>	do	E	706	17.95(g)	NA
Meshweaver, Braken Bat Cave	<i>Circumna venii</i>	do	E	706	17.95(g)	NA
Meshweaver, Government Canyon Bat Cave	<i>Circurina vespera</i>	do	E	706	17.95(g)	NA
Meshweaver, Madia Cave	<i>Clueirina mada</i>	do	E	706	17.95(g)	NA
Meshweaver, Robben Baron Cave	<i>Clueirina baronia</i>	do	E	706	17.95(g)	NA
Pseudoscorpion, Tooth Cave	<i>Taracostrengis texana</i>	do	E	327	NA	NA
Spider, Government Canyon Bat Cave	<i>Neoleptoneta micros</i>	do	E	706	17.95(g)	NA
Spider, Kauai cave wolf	<i>Adelocosa arans</i>	U.S.A. (HI)	E	676	17.95(g)	NA
Spider, spruce-fir moss	<i>Microhexura montivaga</i>	U.S.A. (NC, TN)	E	576	17.95(g)	NA
Spider, Tooth Cave	<i>Neoleptoneta myopica</i>	U.S.A. (TX)	E	327	NA	NA
CRUSTACEANS								
Amphipod, diminutive	<i>Gammarus hyalelobius</i>	U.S.A. (TX)	E	812	17.95(h)	NA
Amphipod, Hay's Spring	<i>Syphromus hayi</i>	U.S.A. (DC)	E	115	NA	NA
Amphipod, Illinois cave	<i>Gammarus acerbydites</i>	U.S.A. (IL)	E	642	NA	NA
Amphipod, Kauai cave	<i>Speleorchestes kolana</i>	U.S.A. (HI)	E	676	17.95(h)	NA
Amphipod, Noel's	<i>Gammarus desperatus</i>	U.S.A. (NM)	E	770	17.95(h)	NA
Amphipod, Peck's cave	<i>Syphromus (=Stygonectes) Pecki.</i>	U.S.A. (TX)	E	629	17.95(h)	NA
Amphipod, Pecos	<i>Gammarus pecos</i>	do	E	812	17.95(h)	NA
Crayfish, cave	<i>Cambarus acutibarum</i>	U.S.A. (AR)	E	499	NA	NA
Do	<i>Cambarus zophonastes</i>	do	E	263	NA	NA
Crayfish, Nashville	<i>Oncorhynchus shoupi</i>	U.S.A. (TN)	E	242	NA	NA
Crayfish, Shasta	<i>Pacifastacus fortis</i>	U.S.A. (CA)	E	337	NA	NA
Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>	do	E	552	17.95(h)	NA
Fairy shrimp, longhorn	<i>Branchinecta longiantenna</i>	do	E	552	17.95(h)	NA
Fairy shrimp, Riverside	<i>Stegopeltaphilus woottoni</i>	do	E	512	17.95(h)	NA
Fairy shrimp, San Diego	<i>Branchinecta sandiegensis</i>	do	E	608	17.95(h)	NA
Fairy shrimp, vernal pool	<i>Branchinecta lynchii</i>	U.S.A. (CA, OR)	E	552	17.95(h)	NA
Isopod, Lee County cave	<i>Lincus usdagulin</i>	U.S.A. (VA)	E	483	NA	NA
Isopod, Madison Cave	<i>Atrotrana lilia</i>	do	T	123	NA	17.46(a)
Isopod, Socorro	<i>Thermosphaeroma thermophilus</i>	U.S.A. (NM)	E	36	NA	NA
Shrimp, Alabama cave	<i>Palaemonias alabamae</i>	U.S.A. (AL)	E	323	NA	NA
Shrimp, anchialine pool	<i>Veternaria chaceorum</i>	U.S.A. (HI)	E	818	NA	NA
Shrimp, California freshwater	<i>Synbranchus pacifica</i>	U.S.A. (CA)	E	340	NA	NA

Shrimp, Kentucky cave	<i>Palaemonas ganteri</i>	U.S.A. (KY)	do	E	135	17.95(h)	NA
Shrimp, Squirrel Chimney Cave	<i>Palaemonetes cummingi</i>	U.S.A. (FL)	do	T	390	NA	NA
Tadpole shrimp, vernal pool	<i>Lepidurus packardi</i>	U.S.A. (CA)	do	E	552	17.95(h)	NA
CORALS							
Coral, elkhorn	<i>Acropora palmata</i>	U.S.A. (FL, PR, VI, Navassa); and wider Caribbean—Belize, Colombia, Costa Rica, Guatemala, Honduras, Mexico, Nicaragua, Panama, Venezuela, and all the islands of the West Indies.	do	T	756	226.216	223.208
Coral, staghorn	<i>Acropora cervicornis</i>	do	do	T	756	226.216	223.208

Symbols used in the four left columns:

“ Do, ” or “ do, ”—(Ditto) indicates the entry is the same as the column entry directly above.

Symbols used in the “When listed” column:

A—Indicates a correction to the publication with the same “When listed” number.

D—Indicates FR where species was Delisted; relisting of the species is indicated by subsequent number(s).

E—Indicated Emergency rule publication (see FR document for effective dates), subsequent number(s) indicate FR final rule, if applicable, under “When listed”.

§ 17.11

1—32 FR 4001; March 11, 1967.
2—35 FR 16047; October 13, 1970.
3—35 FR 8495; June 2, 1970.
4—35 FR 18320; December 2, 1970.
5—37 FR 6176; March 28, 1972.
6—38 FR 14678; June 4, 1973.
7—39 FR 44991; December 30, 1974.
8—40 FR 29864; July 16, 1975.
9—40 FR 31736; July 28, 1975.
10—40 FR 44151; September 25, 1975.
11—40 FR 44418; September 26, 1975.
12—40 FR 47506; October 9, 1975.
13—41 FR 17740; April 28, 1976.
14—41 FR 22044; June 1, 1976.
15—41 FR 24064; June 14, 1976.
15A—41 FR 26019; June 24, 1976.
16—41 FR 45993; October 19, 1976.
17—41 FR 51021; November 19, 1976.
18—41 FR 51612; November 23, 1976.
19—41 FR 53034; December 3, 1976.
20—42 FR 2076; January 10, 1977.
21—42 FR 2968; January 14, 1977.
22—42 FR 15971; March 24, 1977.
24—42 FR 28545; June 3, 1977.
25—42 FR 37373; July 21, 1977.
26—42 FR 40685; August 11, 1977.
27—42 FR 42353; August 23, 1977.
28—42 FR 45528; September 9, 1977.
29—42 FR 58757; November 11, 1977.
30—42 FR 60745; November 29, 1977.
31—43 FR 3715; January 27, 1978.
32—43 FR 4028; January 31, 1978.
33—43 FR 4621; February 3, 1978.
34—43 FR 6233; February 14, 1978.
35—43 FR 9612; March 9, 1978.
36—43 FR 12691; March 27, 1978.
37—43 FR 15429; April 13, 1978.
38—43 FR 16345; April 18, 1978.
40—43 FR 20504; May 12, 1978.
41—43 FR 28932; July 3, 1978.
42—43 FR 32808; July 28, 1978.
43—43 FR 34480; August 4, 1978.
45—44 FR 21289; April 10, 1979.
46—44 FR 23064; April 17, 1979.
48—44 FR 29480; May 21, 1979.
50—44 FR 37126; June 25, 1979.
51—44 FR 37132; June 25, 1979.
52—44 FR 42911; July 20, 1979.
54—44 FR 49220; August 21, 1979.
60—44 FR 59084; October 12, 1979.
85—44 FR 69208; November 30, 1979.
86—44 FR 70677; December 7, 1979.
87—44 FR 75076; December 18, 1979.
88—45 FR 18010; March 20, 1980.
90—45 FR 21833; April 2, 1980.
91—45 FR 24090; April 8, 1980.
92—45 FR 27713; April 23, 1980.
93—45 FR 28722; April 30, 1980.
94—45 FR 35823; May 28, 1980.
95—45 FR 44938; July 2, 1980.
96—45 FR 44942; July 2, 1980.
97—45 FR 47353; July 14, 1980.
98—45 FR 47363; July 14, 1980.
99—45 FR 52806; August 8, 1980.
100—45 FR 52810; August 8, 1980.
102—45 FR 54680; August 15, 1980.
103—45 FR 55666; August 20, 1980.

50 CFR Ch. I (10-1-14 Edition)

105—45 FR 63820; September 25, 1980.
106—45 FR 65134; October 1, 1980.
108—46 FR 3182; January 13, 1981.
111—46 FR 11665; February 10, 1981.
112—46 FR 40025; August 6, 1981.
113—46 FR 40669; August 10, 1981.
114—47 FR 4211; January 28, 1982.
115—47 FR 5427; February 5, 1982.
117—47 FR 19999; May 10, 1982.
119—47 FR 31672; July 21, 1982.
123—47 FR 43701; October 4, 1982.
124—47 FR 43962; October 5, 1982.
125—47 FR 46093; October 15, 1982.
127—48 FR 612; January 5, 1983.
128—48 FR 1726; January 14, 1983.
129—48 FR 28464; June 22, 1983.
130—48 FR 40184; September 2, 1983.
131—48 FR 43043; September 21, 1983.
132—48 FR 46057; October 11, 1983.
134—48 FR 46336; October 12, 1983.
135—48 FR 46341; October 12, 1983.
136—48 FR 49249; October 25, 1983.
138—49 FR 1994; January 17, 1984.
139—49 FR 2783; January 23, 1984.
142—49 FR 7335; February 28, 1984.
143—49 FR 7394; February 29, 1984.
144—49 FR 7398; February 29, 1984.
145—49 FR 10526; March 20, 1984.
146—49 FR 14356; April 11, 1984.
149—49 FR 22330; May 29, 1984.
150—49 FR 27514; July 5, 1984.
156—49 FR 33885; August 27, 1984.
157—49 FR 34494; August 31, 1984.
159—49 FR 34504; August 31, 1984.
160—49 FR 34510; August 31, 1984.
161—49 FR 35954; September 13, 1984.
163—49 FR 43069; October 26, 1984.
164—49 FR 43969; November 1, 1984.
166—49 FR 45163; November 15, 1984.
168—49 FR 49639; December 21, 1984.
169—50 FR 1056; January 9, 1985.
170—50 FR 4226; January 30, 1985.
171—50 FR 4945; February 4, 1985.
173—50 FR 12302; March 28, 1985.
174—50 FR 12305; March 28, 1985.
181—50 FR 20786; May 20, 1985.
182—50 FR 21792; May 28, 1985.
183—50 FR 23884; June 6, 1985.
184—50 FR 24530; June 11, 1985.
185—50 FR 24653; June 12, 1985.
186—50 FR 25678; June 20, 1985.
188—50 FR 26575; June 27, 1985.
189—50 FR 27002; July 1, 1985.
193—50 FR 30194; July 24, 1985.
195—50 FR 31596; August 5, 1985.
196—50 FR 31603; August 5, 1985.
203—50 FR 37198; September 12, 1985.
205—50 FR 39117; September 27, 1985.
206—50 FR 39123; September 27, 1985.
210—50 FR 50308; December 10, 1985.
211—50 FR 50733; December 11, 1985.
212—50 FR 51252; December 16, 1985.
216—51 FR 6690; February 25, 1986.
222—51 FR 10850; March 31, 1986.
223—51 FR 10857; March 31, 1986.
224—51 FR 10864; March 31, 1986.
227—51 FR 16047; April 30, 1986.

U.S. Fish and Wildlife Serv., Interior**§ 17.11**

- 228—51 FR 16482; May 2, 1986.
233—51 FR 17980; May 16, 1986.
236—51 FR 23781; July 1, 1986.
239—51 FR 27495; July 31, 1986.
241—51 FR 31422; September 3, 1986.
242—51 FR 34412; September 26, 1986.
246—51 FR 34425; September 26, 1986.
247—51 FR 39478; October 28, 1986.
248—51 FR 41796; November 19, 1986.
250—51 FR 45910; December 23, 1986.
251—52 FR 28; January 5, 1987.
258—52 FR 5302; February 20, 1987.
262—52 FR 11169; April 7, 1987.
263—52 FR 11172; April 7, 1987.
265—52 FR 11286; April 8, 1987.
267—52 FR 20719; June 3, 1987.
268—52 FR 20999; June 3, 1987.
269—52 FR 21063; June 4, 1987.
272—52 FR 22430; June 11, 1987.
273—52 FR 22585; June 12, 1987.
278—52 FR 22943; June 16, 1987.
279—52 FR 23151; June 17, 1987.
280—52 FR 25232; July 6, 1987.
281—52 FR 25380; July 7, 1987.
282—52 FR 28785; August 3, 1987.
283—52 FR 28831; August 4, 1987.
284—52 FR 29780; August 11, 1987.
287—52 FR 35040; September 16, 1987.
288—52 FR 35378; September 18, 1987.
289—52 FR 36180; September 25, 1987.
290—52 FR 36038; September 25, 1987.
292—52 FR 36779; October 1, 1987.
294—52 FR 37423; October 6, 1987.
296—52 FR 42068; November 2, 1987.
299—52 FR 42662; November 6, 1987.
304—53 FR 3570; February 5, 1988.
312—53 FR 25611; July 8, 1988.
313—53 FR 27134; July 18, 1988.
316—53 FR 27693; July 22, 1988.
317—53 FR 29337; August 4, 1988.
320—53 FR 33992; September 1, 1988.
322—53 FR 33998; September 1, 1988.
323—53 FR 34698; September 7, 1988.
327—53 FR 36033; September 16, 1988.
328—53 FR 37970; September 28, 1988.
334—53 FR 38453; September 30, 1988.
336—53 FR 38460; September 30, 1988.
337—53 FR 38465; September 30, 1988.
338—53 FR 38469; September 30, 1988.
340—53 FR 43889; October 31, 1988.
342—53 FR 45865; November 14, 1988.
345—54 FR 8341; February 28, 1989.
348—54 FR 15208; April 17, 1989.
349—54 FR 20602; May 12, 1989.
350—54 FR 22906; May 30, 1989.
351—54 FR 29655; July 13, 1989.
357—54 FR 32331; August 4, 1989.
358—54 FR 34468; August 18, 1989.
359—54 FR 34472; August 18, 1989.
361—54 FR 35311; August 24, 1989.
364—54 FR 38951; September 21, 1989.
365—54 FR 39849; September 28, 1989.
366—54 FR 39853; September 28, 1989.
369—54 FR 40112; September 29, 1989.
370—54 FR 41453; October 10, 1989.
371—54 FR 43969; October 30, 1989.
372—54 FR 47861; November 17, 1989.
376—55 FR 9136; March 12, 1990.
377—55 FR 9451; March 14, 1990.
378—55 FR 12191; April 2, 1990.
382—55 FR 12801; April 5, 1990.
383—55 FR 12832; April 6, 1990.
384—55 FR 13488; April 10, 1990.
387—55 FR 18845; May 4, 1990.
388—55 FR 21153; May 22, 1990.
390—55 FR 25591; June 21, 1990.
391—55 FR 25595; June 21, 1990.
393—55 FR 26194; June 26, 1990.
394—55 FR 28213; July 10, 1990.
396—55 FR 32094; August 7, 1990.
399—55 FR 36647; September 6, 1990.
400—55 FR 39416; September 27, 1990.
401—55 FR 39860; September 28, 1990.
404—55 FR 39872; September 28, 1990.
405—55 FR 42966; October 25, 1990.
407—55 FR 49623; November 30, 1990.
408—55 FR 50006; December 4, 1990.
410—55 FR 51112; December 12, 1990.
411—55 FR 53160; December 27, 1990.
412—56 FR 800; January 9, 1991.
415—56 FR 1459; January 14, 1991.
416—56 FR 1463; January 14, 1991.
417—56 FR 1463; January 14, 1991.
419—56 FR 13600; April 3, 1991.
421—56 FR 19814; April 30, 1991.
423—56 FR 21087; May 7, 1991.
426—56 FR 28349; June 20, 1991.
427—56 FR 28717; June 24, 1991.
428—56 FR 28828; June 25, 1991.
431—56 FR 37671; August 8, 1991.
432—56 FR 40267; August 14, 1991.
433—56 FR 41488; August 21, 1991.
442—56 FR 49649; September 30, 1991.
443—56 FR 49653; September 30, 1991.
444—56 FR 49658; September 30, 1991.
446—56 FR 54957; October 23, 1991.
447—56 FR 54967; October 23, 1991.
449—56 FR 56333; November 4, 1991.
454—56 FR 64723; December 12, 1991.
455—57 FR 213; January 3, 1992.
456—57 FR 594; January 7, 1992.
459—57 FR 13661; April 17, 1992.
462—57 FR 14790; April 22, 1992.
469—57 FR 21569; May 20, 1992.
472—57 FR 27858; June 22, 1992.
475—57 FR 28024; June 23, 1992.
477—57 FR 44340; September 25, 1992.
479—57 FR 45337; October 1, 1992.
483—57 FR 54726; November 20, 1992.
484—57 FR 59244; December 14, 1992.
485—57 FR 59257; December 14, 1992.
486—58 FR 4359; January 14, 1993.
487—58 FR 5657; January 22, 1993.
488—58 FR 5642; January 22, 1993.
489—58 FR 5946; January 25, 1993.
492—58 FR 12863; March 5, 1993.
493—58 FR 12874; March 5, 1993.
494—58 FR 14271; March 16, 1993.
495—58 FR 14339; March 17, 1993.
496—58 FR 16757; March 30, 1993.
499—58 FR 25746; April 27, 1993.
502—58 FR 25763; April 27, 1993.
503—58 FR 27480; May 10, 1993.
505—58 FR 34931; June 30, 1993.

§ 17.11

508—58 FR 40538; July 28, 1993.
512—58 FR 41391; August 3, 1993.
513—58 FR 43819; August 18, 1993.
514—58 FR 49874; September 23, 1993.
516—58 FR 49880; September 23, 1993.
517—58 FR 49887; September 23, 1993.
518—58 FR 49937; September 24, 1993.
520—58 FR 53804; October 18, 1993.
522—58 FR 54065; October 20, 1993.
525—58 FR 68486; December 27, 1993.
526—59 FR 5310; February 3, 1994.
527—59 FR 5498; February 4, 1994.
533—59 FR 10584; March 7, 1994.
534—59 FR 13836; March 23, 1994.
538—59 FR 17998; April 15, 1994.
539—59 FR 18327; April 18, 1994.
540—59 FR 31095; June 16, 1994.
543—59 FR 36995; July 20, 1994.
545—59 FR 42691; August 18, 1994.
546—59 FR 42711; August 18, 1994.
549—59 FR 46002; September 6, 1994.
550—59 FR 46715; September 9, 1994.
552—59 FR 48153; September 19, 1994.
554—59 FR 49764; September 29, 1994.
557—59 FR 54841; November 2, 1994.
561—59 FR 60264; November 22, 1994.
562—59 FR 60279; November 22, 1994.
563—59 FR 60334; November 23, 1994.
566—59 FR 63264; December 8, 1994.
567—59 FR 64623; December 15, 1994.
568—59 FR 64866; December 16, 1994.
569—59 FR 65512; December 20, 1994.
571—60 FR 2903; January 12, 1995.
573—60 FR 5273; January 26, 1995.
574—60 FR 5267; January 26, 1995.
576—60 FR 6974; February 6, 1995.
577—60 FR 10715; February 17, 1995.
579—60 FR 18947; April 13, 1995.
580—60 FR 36010; July 12, 1995.
582—61 FR 11332; March 20, 1996.
583—61 FR 25832; May 23, 1996.
585—61 FR 32366; June 24, 1996.
588—61 FR 48413; September 13, 1996.
597—61 FR 54056; October 16, 1996.
598—61 FR 59028; November 20, 1996.
600—62 FR 689; January 6, 1997.
602—62 FR 1657; January 10, 1997.
604—62 FR 2322; January 16, 1997.
605—62 FR 3628; January 24, 1997.
607—62 FR 4191; January 29, 1997.
608—62 FR 4939; February 3, 1997.
610—62 FR 10746; March 10, 1997.
612—62 FR 23392; April 30, 1997.
614—62 FR 30772; June 5, 1997.
616—62 FR 31757; June 11, 1997.
617—62 FR 31761; June 11, 1997.
618—62 FR 33038; June 18, 1997.
621—62 FR 38939; July 21, 1997.
622—62 FR 39157; July 22, 1997.
626—62 FR 59622; November 4, 1997.
628—62 FR 64320; December 5, 1997.
629—62 FR 66303; December 18, 1997.
630—63 FR 694; January 7, 1998.
631—63 FR 1763; January 12, 1998.
632—63 FR 3843; January 27, 1998.
633—63 FR 12687; March 16, 1998.
634—63 FR 13150; March 18, 1998.

50 CFR Ch. I (10-1-14 Edition)

636—63 FR 26530; May 13, 1998.
637—63 FR 31674; June 10, 1998.
638—63 FR 32997; June 17, 1998.
639—63 FR 42762; August 11, 1998.
642—63 FR 46909; September 3, 1998.
645—63 FR 51016; September 24, 1998.
646—63 FR 52837; October 1, 1998.
651—63 FR 57619; October 28, 1998.
653—63 FR 64799; November 23, 1998.
654—63 FR 69021; December 15, 1998.
655—63 FR 70062; December 18, 1998.
656—64 FR 5981; February 8, 1999.
658—64 FR 15704; April 1, 1999.
659—64 FR 17124; April 8, 1999.
660—64 FR 19308; April 20, 1999.
664—64 FR 41836; August 2, 1999.
665—64 FR 47134; August 30, 1999.
669—64 FR 56608; October 20, 1999.
670—64 FR 58932; November 1, 1999.
674—64 FR 72960; December 29, 1999.
675—65 FR 30; January 3, 2000.
676—65 FR 2357; January 14, 2000.
677—65 FR 3109; January 19, 2000.
679—65 FR 3890; January 25, 2000.
680—65 FR 4169; January 26, 2000.
682—65 FR 4779; February 1, 2000.
687—65 FR 8889; February 23, 2000.
688—65 FR 10039; February 25, 2000.
692—65 FR 16085; March 24, 2000.
693—65 FR 17786; April 5, 2000.
694—65 FR 19698; April 12, 2000.
695—65 FR 25879; May 4, 2000.
696—65 FR 20769; April 18, 2000.
697—65 FR 26461; May 5, 2000.
698—65 FR 26771; May 9, 2000.
700—65 FR 46654; July 31, 2000.
701—65 FR 51478; September 7, 2000.
702—65 FR 57264; September 21, 2000.
703—65 FR 60885; October 13, 2000.
705—65 FR 69481; November 17, 2000.
706—65 FR 69637; November 17, 2000.
707—65 FR 81433; December 26, 2000.
709—66 FR 32257; June 14, 2001.
710—66 FR 33915; June 26, 2001.
713—66 FR 50350; October 3, 2001.
714—66 FR 51339; October 9, 2001.
715—66 FR 59373; November 28, 2001.
716—66 FR 59545; November 29, 2001.
718—66 FR 63002; December 4, 2001.
719—66 FR 66811; December 27, 2001.
724—67 FR 37721; May 30, 2002.
725—70 FR 3459; January 24, 2005.
726—67 FR 40811; June 13, 2002.
728—67 FR 44392; July 2, 2002.
729—67 FR 47739; July 22, 2002.
730—67 FR 51129; August 7, 2002.
731—67 FR 52889; August 14, 2002.
732—67 FR 52426; August 12, 2002.
734—68 FR 13520; March 19, 2003.
735—68 FR 15872; April 1, 2003.
738—68 FR 43658; July 24, 2003.
740—69 FR 70190; December 17, 2003.
741—69 FR 3028; January 22, 2004.
742—70 FR 67928; November 9, 2005.
743—70 FR 10485; March 4, 2005.
744—69 FR 47248; August 4, 2004.
745—70 FR 1285; January 6, 2005.

U.S. Fish and Wildlife Serv., Interior**§ 17.11, Nt.**

747—70 FR 17916; April 8, 2005.
 748—70 FR 69465; November 16, 2005.
 754—70 FR 58350; October 6, 2005.
 755—70 FR 66706; November 2, 2005.
 756—71 FR 26851; May 9, 2006.
 757—71 FR 40673; July 18, 2006.
 758—71 FR 42314; July 26, 2006.
 759—72 FR 14938; March 29, 2007.
 760—73 FR 3178; January 16, 2008.
 761—73 FR 74370; December 8, 2008.
 763—74 FR 46930; September 14, 2009.
 764—74 FR 52010; October 8, 2009.
 765—75 FR 19045; April 13, 2010.
 766—75 FR 249; January 5, 2010.
 767—75 FR 43853, 43864; July 27, 2010.
 769—75 FR 21188; April 23, 2010.
 770—75 FR 33053; June 7, 2011.
 771—75 FR 45526; August 3, 2010.
 774—75 FR 81814; December 28, 2010.
 775—75 FR 59656; September 28, 2010.
 776—76 FR 20560; April 13, 2011.
 777—75 FR 67539; November 2, 2010.
 778—75 FR 53604; September 1, 2010.
 779—76 FR 30780; May 26, 2011.
 781—75 FR 76132; December 7, 2010.
 782—76 FR 25609; May 5, 2011.
 783—76 FR 50079; August 11, 2011.
 784—76 FR 9691; February 22, 2011.
 785—76 FR 6080; February 3, 2011.
 786—79 FR 35900; June 24, 2014.
 787—76 FR 18102; April 1, 2011.
 789—76 FR 31873; June 2, 2011.
 790—78 FR 38189; June 25, 2013.
 791—76 FR 48741; August 9, 2011.
 793—76 FR 58994; September 22, 2011.
 794—76 FR 58950; September 22, 2011.
 795—76 FR 61978; October 6, 2011.
 796—76 FR 62954; October 11, 2011.
 798—77 FR 8664; February 14, 2012.
 799—77 FR 43467; July 24, 2012.
 800—77 FR 16717; March 22, 2012.
 801—77 FR 20986; April 6, 2012.
 803—77 FR 26211; May 3, 2012.
 804—78 FR 15640; March 12, 2013.
 807—77 FR 45893; August 1, 2012.
 808—77 FR 61703; October 10, 2012.
 810—77 FR 60800; October 4, 2012.
 812—78 FR 41257; July 9, 2013.
 813—78 FR 64733; October 29, 2013.
 814—78 FR 61219; October 3, 2013.
 815—78 FR 32063; May 28, 2013.
 816—78 FR 57096; September 17, 2013.
 817—78 FR 51325; August 20, 2013.
 818—78 FR 64688; October 29, 2013.
 819—78 FR 55627; September 10, 2013.
 820—78 FR 57775; September 19, 2013.
 822—78 FR 61042; October 2, 2013.
 823—78 FR 58954; September 25, 2013.
 824—78 FR 61502; October 3, 2013.
 825—78 FR 59287; September 26, 2013.
 826—78 FR 60782; October 2, 2013.
 827—78 FR 60783; October 2, 2013.
 828—79 FR 19794; April 9, 2014.
 829—79 FR 20107; April 11, 2014.
 831—79 FR 20070; April 10, 2014.
 832—79 FR 28849; May 20, 2014.
 834—79 FR 24310; April 29, 2014.
 835—79 FR 26186; May 7, 2014.
 837—79 FR 37103; June 30, 2014.
 840—79 FR 45286; August 4, 2014.
 843—79 FR 49023; August 19, 2014.
 846—79 FR 51709; August 29, 2014.

EDITORIAL NOTES: 1. For FEDERAL REGISTER citations affecting the table in § 17.11(h), see the listing above.

2. For FEDERAL REGISTER citations affecting § 17.11, see the List of CFR Sections Affected, which appears in the Finding Aids section of the printed volume and at www.fdsys.gov.

EFFECTIVE DATE NOTE: At 79 FR 54840, Sept. 12, 2014, § 17.11(h) was amended by revising the entry for "Lynx, Canada" under "Mammals" in the List of Endangered and Threatened Wildlife, effective Oct. 14, 2014. For the convenience of the user, the revised text is set forth as follows:

§ 17.11 Endangered and threatened wildlife.

* * * * *

(h) * * *

Species		Historic range	Vertebrate pop-ulation where endangered or threatened	Status	When listed	Critical habitat	Special rules
Common name	Scientific name						
MAMMALS							
*	*	*	*	*	*	*	*
Lynx, Canada ...	<i>Lynx canadensis</i> .	U.S.A. (AK, CO, ID, ME, MI, MN, MT, NH, NY, OR, UT, VT, WA, WI, WY), Canada, circumboreal.	Where found within contiguous U.S.A.	T	692	17.95(a)	17.40(k)
*	*	*	*	*	*	*	*